


Colonial and Early English Hardware









# COLONIAL AND EARLY ENGLISH HARDWARE

ALTHOUGH the title of this book is "Colonial and Early English Hardware" it will be found to contain a wide and comprehensive range of designs. At the time of its first edition, these architectural styles were predominate — and still are in point of actual use — but there has since been a growth in the tendency to employ the characteristics of the Spanish and French.

The so-called Mediterranean style has developed, combining the Italian and Spanish and has rapidly gained favor, especially in the warmer climates. One also notes, in the adaptations and diversifications of other styles an effort to create distinctive buildings.

These conditions have prompted the inclusion of the many designs to be found herein. The general line, however, will continue to be known by its original title, under which it has gained a most valuable reputation.



#### P. & F. CORBIN

The American Hardware Corporation, Successor

NEW BRITAIN, CONN., U.S.A.

NEW YORK

**CHICAGO** 

PHILADELPHIA

Catalog No. K553


Copyright 1931, P. & F. Corbin

Printed in U. S. A.

COLONIAL AND EARLY ENGLISH HARDWARE

EARLY
AMERICAN
WROUGHT
IRON
HARDWARE

LANTERNS



#### A beautiful entrance enhanced by

#### CORBIN HARDWARE

ENTRANCE DOOR HANDLE NO. 56484 (See page 18) ENTRANCE DOOR KNOCKER
No. 7380
(See page 32)

HINGE PLATES
NO. 7723
(See page 34)

The use of studs, as shown, was common on the old batten or slab type doors and today adds a striking touch of realism. Studs No. 7657 (shown on p. 47) were used on this door.

#### Introduction

EVELOPMENT of Colonial and Early English Hardware to its present scope, as presented in this edition, has closely followed the swing of architecture to the styles of traditional America and Europe. First indications of a widespread enthusiasm for buildings in these styles found Corbin prepared to make available a new and distinct type of hardware, interpreting the work of the blacksmith hardware-maker of olden times.

With a first hand knowledge of modern builders' requirements and an acquired intimacy with the products and methods of the old craftsmen, pieces were carefully chosen from among the best known patterns of Early America and Europe, for reproduction. The interesting crudities and irregularities of the originals were religiously preserved. The atmosphere of the forge, the romance of iron and laborious methods of hand work, inseparably mingled in the products of the early iron worker, were portrayed with remarkable faithfulness, and with a restraint and absence of exaggeration that is truly fine.

Yet, in matters of mechanical function, modern standards of practicality have been ingeniously maintained. Butts and hinges work freely and without creak or groan. Thumb latches do not rattle. Catches and fasteners operate smoothly. Handles and knobs are made for use with modern, secure locks. For while architects and builders have unfolded before us the charm and beauty of these styles, there is no inclination toward a backward step from modern ideals of efficiency, comfort or convenience.

Architecture has constantly expanded the possibilities of creating distinctive buildings, employing new and unexplored phases of the old styles, or as is frequently done, combining two or more in a single, charming house. Corbin keeps apace adding new designs to suit new trends, and adopting new items found necessary to a complete hardware equipment.

In this edition of Colonial and Early English Hardware a wide range of patterns is offered, each strongly suggestive of a particular architectural style. The simple forms of the Colonial are distinct from the delicate traceries of the Spanish and the more detailed elaborations of the English and French. In some instances though, it is extremely difficult to draw definite lines of classification because of the curious commingling of design motives in many of the old schools. However, each piece carries an unmistakable relation to traditional architecture and one may choose from several pat-

terns for any particular style with the assurance that each will reflect the spirit of its surroundings.

The hardware for entrance doors was easily the object of greatest consideration and effort with early workers of the trade. Hinges, knockers and door handles for these doors were ornamental in character, made to beautify as well as to serve a practical purpose. Today too, this part of the hardware equipment is of major importance. Many suggestions for selecting designs for the various types of entrances will be found in this book.

In most cases, the equipment for interior doors may be had in the same design characteristics as the hardware selected for the entrance door, although greater freedom in the use of thumb latches, knobs and escutcheons, H and HL hinges, etc., is possible when desired. All of the many items for cupboards, casements, shutters, etc., necessary for complete equipment, are available in Colonial and Early English Hardware, making possible a highly desirable consistency of treatment throughout the building.

#### FINISHES — PART I

The pieces in Part I of this catalog are made in colonium metal, bronze or brass. Colonium metal is a contribution of Corbin research to the craft of reproducing the old iron work to modern standards of practicality. It is a compound metal with the grayish color and rugged texture of iron, yet it is absolutely rustless. Through its use, damaging rust streaks on woodwork have been effectively eliminated. Wear will not change its appearance since the base metal furnishes the predominating color of the finish.

The ordering symbol for articles made in colonium metal and finished in a grayish, hand-hammered, half polished treatment is EH. This symbol should be prefixed to the number of the article.

When a simulation of the black finish, often applied to iron in the early days by dipping the hot metal in oil, or by painting it, is wanted, the symbol DH should be prefixed to the number. The articles are then made in bronze and treated with a durable, black coating.

Brass or bronze, when treated in the manner of colonium metal, takes on a beautiful, rich color and shows, with striking effect, the interesting marks of the finishing hammer. Pieces in Part I will be furnished in hand-hammered, antique bronze when the symbol BH is prefixed to the number, or in brass when indicated by the symbol AH.

COLONIAL AND EARLY ENGLISH HARDWARE

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

## Index to Part I

#### Designs

| Design Name  |   |     | (Suggested for Architectural styles)       |    | Page |
|--------------|---|-----|--|----|------|
| SOMERSET     |   |     | English Manor Types                        | 16 | , 17 |
| MAYFIELD     |   |     | English Cottage Types (Also French)        |    | 18   |
| LAVERSTOCK . |   |     | English (Highly Ornamental)                |    | 19   |
| SHREWSBURY . |   |     | Styles with Gothic Features                |    |      |
| MARLBORO     |   |     | Modern Versions of the Traditional Styles. |    | 20   |
| CONCORD      |   | . , | New England Colonial                       |    | 21   |
| POTTSVILLE . |   |     | Dutch Colonial Styles                      |    | 21   |
| STOCKBRIDGE  |   |     | New England Colonial                       |    | 22   |
|              |   |     | All Colonial Styles                        |    |      |
| PLYMOUTH .   |   |     | All Colonial Styles                        |    | 23   |
| DOUVAINE     |   |     | French Chateau Types                       |    | 23   |
| MONTREUIL .  | : |     | Norman Styles                              |    | 24   |
| PAMPLONA .   |   |     | Spanish Styles                             |    | 24   |
| SEVILLE      |   |     | Spanish and Italian Styles                 |    | 25   |
| TERRANOVA .  |   |     | Mediterranean Style (Spanish-Italian)      |    | 25   |
| BURGOS       |   |     | Spanish Styles                             |    | 26   |
| TOLEDO       |   |     | Spanish Styles (Highly Ornamental)         |    | 27   |
| MONTEREY .   |   | ·   | Spanish Styles                             |    | . 28 |
|              |   |     |  |    |      |

#### Articles

| Article Page                                | Article Page                              | Article Page                                |
|---|---|---|
| Adjuster, Casement                          | Grips                                     | Plates, Hinge, for Entrance Doors           |
| Auxiliary Roses 45                          | H and HL Hinge Plates 17, 37              | 16, 18-27, 33, 36                           |
| Bar Latches 39                              | H and HL Hinges 17, 38                    | Plates, Hinge, for Shutters 33              |
| Bar, Reverse Bevel Latch and Strike 47      | Handles, Entrance Door 16, 18, 20-26, 32  | Plates, Offset Hinge                        |
| Bolts 17-52                                 | Handles, Drop 16, 41                      | Plates, Ornamental Hinge 34-36              |
| Button, Locking 46                          | Handles, Interior Door 46                 | Plates, H and HL Hinge 17, 37               |
| Buttons, Electric Push . 16, 18-26, 28, 32  | Handles, Lever 16, 27-29, 44, 45          | Plates, Letter Drop 16, 26                  |
| Butts 38                                    | Hinge Plates, for Cabinets 39             | Plates, Push                                |
| Casement Adjuster 51                        | Hinge Plates, for Entrance Doors          | Pulls, Door 31                              |
| Casement Fasteners 17, 48-50                | 16, 18-27, 33-36                          | Pulls, Drawer                               |
| Collars, Cylinder 16, 18, 20-26, 28, 32     | Hinge Plates, H and HL 17, 37             | Pulls, Ring Door 31                         |
| Collars, Cylinder, with Dust Cap 22, 25, 28 | Hinge Plates, Offset 18, 33               | Push Buttons, Electric . 16, 18-26, 28, 32  |
| Cupboard Hardware                           | Hinge Plates, Ornamental 34-36            | Push Plates                                 |
| Dog, Shutter 51                             | Hinge Plates, for Shutters                | Quadrant, for Dutch Doors 51                |
| Door Knobs . 16, 18-26, 28, 29, 40, 41      | Hinges, H and HL 17, 38                   | Reverse Bevel Latch Bar and Strike 47       |
| Door Knockers, Entrance 16, 18, 20-28, 32   | Interior Door Handles 46                  | Ring Door Pull 31                           |
| Door Pulls                                  | Key Escutcheons . 16, 20-26, 28, 42, 43   | Roses, Auxiliary 45                         |
| Door Pulls, Ring 31                         | Knobs, Door . 16, 18-26, 28, 29, 40, 41   | Roses, for Drop Handle 16, 41               |
| Door Stops 47                               | Knobs, Drawer 39                          | Roses, for Knobs . 16, 20-26, 28, 40, 41    |
| Drawer Knobs 39                             | Knobs, Thumb 16, 20-26, 28, 43            | Roses for Levers 16, 28, 44, 45             |
| Drawer Pulls                                | Knockers, Entrance Door 16, 18, 20-28, 32 | Safety Closet Spindle 41                    |
| Drop Handles 16, 41                         | Latches, Bar 39                           | Sash Fastener 51                            |
| Dutch Door Quadrant 51                      | Latches, Thumb 46                         | Sash Hardware 51                            |
| Electric Push Buttons . 16, 18-26, 28, 32   | Letter Drop Plates 16, 26                 | Sash Lifts 51                               |
| Entrance Door Handles . 16, 18, 20-26, 32   | Lever Handles 16, 27-29, 44, 45           | Sectional Trims 27                          |
| Entrance Door Knockers 16, 18, 20-28, 32    | Lifts, Sash                               | Shutter Dog 51                              |
| Escutcheons, Entrance Door                  | Lock, Rim Knob 17                         | Spindle, Safety Closet 41                   |
| 16, 18, 19, 27, 29                          | Locking Button 46                         | Stops, Door 47                              |
| Escutcheons, Interior Door. 16, 18, 19, 29  | Locks (See page 87)                       | Strikes, Reverse Bevel for Thumb Latches 47 |
| Escutcheons, Key . 16, 20-26, 28, 42, 43    | Numerals 47                               | Studs 47                                    |
| Fasteners, Casement 17, 48-50               | Olive Knuckle Butt                        | Thumb Knobs 16, 20-26, 28, 43               |
| Fasteners, Sash 51                          | Plates, Hinge, for Cabinets 39            | Thumb Latches 46                            |
|   |   | 30 00 00 00 00 00 00 00                     |



#### Index to Part I

#### Numbers

| No. Page No. |  |  | 1 (00)   |  |  |  |
|--|--|--|--|--|--|--|
| 1912   46  | No. Page   |
| 560         46         7201         42         7601         30         50004         28, 45         51278         4         25384         23           566         46         7203         43         7601         30         50014         28         \$1286         31         55215         28           576         46         7207         40         50040         28         \$1286         31         55215         28           579         46         7207         42         7603         40         50040         28         \$1818         32         55313         28           581         46         7210         29         7634         42         50061         28         \$18185         32         55549         43           386         46         7212         29         7640         47         50028         28         \$18195         31         5561         28           78702         43         7218         47         50028         28         \$18195         31         5561         28           78702         44         7214         27         50028         22,4         \$18190         31         5561  | 510 46   | 7193 42  | 7600 30  | 7940 41  | 51261 20   | 53361 23   |
| 560         46         7201         42         7601         30         50004         28         51278         4         25384         23           566         46         7203         43         7601         30         50014         28         51286         31         55215         28           576         46         7207         40         3004         28         51286         31         55215         28           579         46         7207         42         7603         40         30049         28         31818         32         55315         28           581         46         7200         42         7603         47         50068         28         31815         32         55549         43           386         46         72121         29         7640         47         50021         22,40         31884         32         55549         43           386         46         7212         29         7642         47         50021         22,40         3189         31         55613         28           7002         45         7212         47         50024         47         50024   | 512 46   | 7200 43  | 7602 30  | 50003 28   | 51268 20   | 53368 23   |
| 564  |  |  | The state of the s |  |  |  |
| 565         46         7203         43         7607         30         50014         28         \$1286         31         \$5213         28           576         46         7207         42         7608         40         50049         28,43         \$11813         32         \$5513         28           581         46         7200         42         7663         42         50061         28         \$18189         32         55513         28           586         46         7210         29         7639         47         50008         28         \$1859         31         55561         28           70014         44         7214         29         7642         47         50231         23         31886         31         55613         28           7002         43         7242         45         7642         47         50213         23,42         \$1590         30         55613         28           7003         44,5         7242         45         7646         47         50249         23,43         \$1591         30         \$15061         28           7005         44,5         7247         28,46         7509<  |  | 10 0 5   |  |  | The second secon |  |
| 576         46         7204         42         7608         40         50040         28,42         \$12198         20         \$5261         28           581         46         7209         42         7639         47         50061         28         \$18189         29         55349         43           586         46         7212         29         7640         47         50026         28         \$18189         29         55349         43           587         46         7212         29         7640         47         50023         23,40         \$1884         32         55615         28           7001         44         7214         29         7642         47         50213         23         \$1186         31         55615         28           7002         45         7218         31         7645         47         50240         23,42         \$1890         50         55829         19           7003         45         7245         29         7645         47         50261         23         \$2166         32         53881         19           7007         44         7266         31         7646  |  | March 19 Co.   | 100 Mg 100 Mg  | TANKS TANKS OF THE STATE OF THE | The state of the s |  |
| 578  | 2.32   |  | The same of the sa |  |  |  |
| 818.         46         7209         42         7639         47         5006         28         51829         29         55540         43           586         46         7212         29         7640         47         50203         23, 40         51884         32         55561         28           587         46         7212         29         7642         47         50213         23         51886         31         55661         28           7002         45         7218         31         7643         47         50210         23, 48         31890         30         55829         19           7003         45         7242         45         7644         47         50240         23, 48         31890         30         55829         19           7007         44         7247         28, 10         7646         47         50268         23         52184         32         55861         19           7007         43         7260         31         7646         47         50284         23         52813         221         55897         19           7015         38         7261         41         7689 <td>576 46</td> <td></td> <td>7607 40</td> <td>5004028, 42</td> <td>51298 20</td> <td>55261 28</td>  | 576 46   |  | 7607 40  | 5004028, 42  | 51298 20   | 55261 28   |
| 586         46         7210         29         7639         47         50068         28         51839         31         55561         28           7001½         44         7214         29         7642         47         50213         23         51886         31         55613         28           7002         45         7218         51         7643         47         50214         23         42         1886         31         55613         28           7003         45         7242         45         7644         47         50249         23,42         32113         32         55811         19           7005         44         7247         28,40         7664         47         50268         23         52161         32         55861         19           7009         45         7260         31         7647         47         50288         23         52849         21         55861         19           7018         44         7266         41         7659         47         50413         25         52849         21         56640         22         22         7019         44         7266         41  | 579 46   | 7207 42  | 7608 40  | 5004928, 43  | 51813 32   | 55513 28   |
| 586         46         7210         29         7639         47         50068         28         51839         31         55561         28           7001½         44         7214         29         7642         47         50213         23         51886         31         55613         28           7002         45         7218         51         7643         47         50214         23         42         1886         31         55613         28           7003         45         7242         45         7644         47         50249         23,42         32113         32         55811         19           7005         44         7247         28,40         7664         47         50268         23         52161         32         55861         19           7009         45         7260         31         7647         47         50288         23         52849         21         55861         19           7018         44         7266         41         7659         47         50413         25         52849         21         56640         22         22         7019         44         7266         41  | 581 46   | 7209 42  | 7634 42  | 50061 28   | 51829 29   | 55549 43   |
| 187  |  | 7210 29  | 7639 47  |  | 2000 00 0000 0000  | 55561 28   |
| 7001½         44         7214         29         7642         47         50213         23         51886         31         55661         28           7002         45         7218         51         7643         47         50240         23, 42         31890         30         55829         19           7005         44         7242         45         7644         47         50240         23, 43         52113         32         55861         19           7007         44         7247         28, 40         7646         47         50268         23         52161         32         55861         19           7009         45         7260         31         7647         47         50288         23         52184         32         55861         19           7018         44         7266         41         7669         47         50029         23         52814         21         56602         22           7018         44         7266         41         7652         47         50413         23         2816         221         56640         22         42           7018         44         7296         47   | 9.00   | 28.0.0   |  |  | 7.00   |  |
| Tools  |  |  | - 4  |  |  |  |
| 7003         45         7242         45         7644         47         90249         22, 43         52113         32         58831         19           7007         44         7247         28, 40         7646         47         90266         23         52164         32         58897         19           7007         44         7247         28, 40         7646         47         90284         23         52184         32         58897         19           7005         38         7261         41         7648         47         90284         23         52813         21         60013         22, 40           7015         38         7261         41         7650         21, 42         90403         23, 11         52840         21, 43         56013         22, 42           7019         44         7266         41         7652         47         50403         25, 42         52840         21, 43         56049         22, 43           7019         44         7266         41         7652         47         50469         23, 43         2849         21, 43         56041         22, 22           7022         43         70340 <td></td> <td></td> <td></td> <td></td> <td>14, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,</td> <td></td>  |  |  |  |  | 14, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,   |  |
| Toop   |  |  | The state of the s | 7 (A 1 (A  | Carrier of the Control of the Contro |  |
| Top  |  | Section Agency on  | 30.200   | 5024923, 43  | 52113 32   |  |
| 1909   | 700544, 45   | 7245 29  | 7645 47  | 50261 23   | 52161 32   | 55861 19   |
| 7018 38 7261 44 7646 29 7649 47 50098 23 52813 21 56013 22 7018 44 7266 41 7650 21,42 50403 22,42 5040 22,42 5040 37 7286 41 7650 21,42 50403 25,41 52849 21,43 56049 22,43 7020 37 7286 41 7652 47 50440 23,42 52861 21 50668 22 7025 44 7291 29 7653 47 50449 23,43 52868 21 56068 22 7025 37 7292 27 7653 47 50459 51 52884 21 56078 46 7026 45 7304 39 7657 47 50459 51 52884 21 56078 46 7026 45 7304 39 7657 47 50450 51 52886 31 56084 22 7029 44 7320 39 7658 47 50468 25 52888 21 56088 22 7029 44 7320 39 7658 47 50468 25 52888 21 56088 22 7029 44 7320 39 7659 47 50468 25 52888 21 56088 22 7029 44 7320 39 7659 47 50488 25 52903 26,40 56103 22,41 70344 41 7362 47 7660 47 50486 51 52913 26,6 56113 25 7035 37 73624 47 7661 0,43 50498 25 52903 26,40 56103 22,41 70344 41 7362 47 7660 47 50486 31 52913 26,6 56113 25 7039 45 73644 51 7700 33 50700 17 52949 2.6,42 56114 25 7039 45 73644 51 7700 33 50700 17 52949 2.6,43 56140 25,42 70510 38 7376 27 77034 33 50700 17 52949 2.6,43 56140 25,42 70614 38 7378 32 7714 36 50701 17 52968 26 56161 25 7065 38 7377 32 7714 36 50701 17 52968 26 56168 23 7100 28,40 7379 32 7723 34 50704 16,44 5294 26 56168 23 7100 28,40 7379 32 7723 34 50704 16,44 5294 26 56188 23 7100 44 7386 31 7734 116 51 50710 17 5298 26 56184 23 7100 44 7386 31 7734 116 39 50713 16 50304 24,41 5291 26 5614 22,42 7105 44 7386 31 7734 116 39 50713 16 50304 24,41 5624 22,42 7100 44 7394 31 7735 116 39 50713 16 50306 24,41 56214 22 7100 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7420 49 7753 34 50740 16,44 52984 26 5618 22 7110 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7410 31 7735 34 50750 16,41 52970 24,41 56240 22,43 7111 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7420 49 7753 34 50750 16,41 52970 24,41 56240 22,43 56240 22,43 5111 44 7420 49 7753 34 50750 16,41 53500 24,41 56240 22, | 7007 44  | 724728, 40   | 7646 47  | 50268 23   | 52184 32   | 55897 19   |
| 7018 38 7261 44 7646 29 7649 47 50098 23 52813 21 56013 22 7018 44 7266 41 7650 21,42 50403 22,42 5040 22,42 5040 37 7286 41 7650 21,42 50403 25,41 52849 21,43 56049 22,43 7020 37 7286 41 7652 47 50440 23,42 52861 21 50668 22 7025 44 7291 29 7653 47 50449 23,43 52868 21 56068 22 7025 37 7292 27 7653 47 50459 51 52884 21 56078 46 7026 45 7304 39 7657 47 50459 51 52884 21 56078 46 7026 45 7304 39 7657 47 50450 51 52886 31 56084 22 7029 44 7320 39 7658 47 50468 25 52888 21 56088 22 7029 44 7320 39 7658 47 50468 25 52888 21 56088 22 7029 44 7320 39 7659 47 50468 25 52888 21 56088 22 7029 44 7320 39 7659 47 50488 25 52903 26,40 56103 22,41 70344 41 7362 47 7660 47 50486 51 52913 26,6 56113 25 7035 37 73624 47 7661 0,43 50498 25 52903 26,40 56103 22,41 70344 41 7362 47 7660 47 50486 31 52913 26,6 56113 25 7039 45 73644 51 7700 33 50700 17 52949 2.6,42 56114 25 7039 45 73644 51 7700 33 50700 17 52949 2.6,43 56140 25,42 70510 38 7376 27 77034 33 50700 17 52949 2.6,43 56140 25,42 70614 38 7378 32 7714 36 50701 17 52968 26 56161 25 7065 38 7377 32 7714 36 50701 17 52968 26 56168 23 7100 28,40 7379 32 7723 34 50704 16,44 5294 26 56168 23 7100 28,40 7379 32 7723 34 50704 16,44 5294 26 56188 23 7100 44 7386 31 7734 116 51 50710 17 5298 26 56184 23 7100 44 7386 31 7734 116 39 50713 16 50304 24,41 5291 26 5614 22,42 7105 44 7386 31 7734 116 39 50713 16 50304 24,41 5624 22,42 7100 44 7394 31 7735 116 39 50713 16 50306 24,41 56214 22 7100 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7394 31 7735 116 39 50713 16 50308 24,40 56240 22,42 7110 44 7420 49 7753 34 50740 16,44 52984 26 5618 22 7110 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7410 31 7735 34 50750 16,41 52970 24,41 56240 22,43 7111 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7420 49 7753 34 50740 16,44 52950 24,41 56240 22,43 7111 44 7420 49 7753 34 50750 16,41 52970 24,41 56240 22,43 56240 22,43 5111 44 7420 49 7753 34 50750 16,41 53500 24,41 56240 22, | 7009 45  | 7260 31  | 7647 47  | 50284 23   | 5280321, 40  | 5600322, 40  |
| Total   Ad   | N-12 // 12 12  |  |  |  |  |  |
| 7019   | 2000   |  |  |  | 7  |  |
| 1902   |  | To the second se |  |  |  |  |
| TO22   |  |  |  |  |  | 20 20  |
| 7025 37 7292 27 7655 47 50469 31 52884 21 56078 46 7026 45 7304 39 7657 47 50461 25 52886 31 56084 22 7029 44 7320 39 7658 47 50468 25 52898 21 56098 22 7030 37 7330 39 7659 47 50484 29 52903 26, 40 56113 22 7034 41 7362 47 7666 47 50486 31 52913 26 56113 22 7035 37 7362½ 47 7666 20, 43 50498 25 52940 26, 42 56114 25 7039 45 7364½ 51 7700 33 50700 17 52949 26, 43 56140 25, 42 7050 51 7365 47 7705 33 50700 17 52949 26, 43 56140 25, 42 7050 51 7365 47 7705 33 50700 17 52949 26, 43 56140 25, 42 7061½ 38 7376 27 7705½ 33 50701½ 17 52961 26 56163 25 7101 38 7378 32 7714 36 50701½ 17 52970 26 56168 25 7102 28, 40 7379 32 7721 27 50703 16, 40, 41 52971 26 56184 25 7103 40 7380 32 7723 34 50704 16, 44 52984 26 56198 25 7104 47 396 31 7734 Full 39 50713 16 30303 24, 41 56214 22, 42 7105 44 7390 31 7734 Full 39 50713 16 30303 24, 41 56214 22, 42 7106 44 7394 31 7735 Full 39 50716 17 53049 24, 42 56249 22, 43 7100 45 7394½ 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7107 44 7396 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7110 44 7396 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7110 44 7396 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7110 44 7396 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7110 44 7396 31 7735 Full 39 50716 17 53049 24, 43 56240 22, 42 7110 44 7400 49 7755 34 50740 16, 42 53084 24 56289 22 7111 44 7420 49 7755 34 50740 16, 42 53086 31 56413 18 7111 44 7420 49 7755 34 50740 16, 43 5308 24 56284 22 7112 44 7420 49 7755 34 50740 16, 43 5308 24 56284 22 7113 44 7420 49 7755 34 50740 16, 43 5308 24 56486 31 7114 44 7420 49 7755 34 50740 16, 53188 24 56498 18 7112 38 7466 50 7904 28, 40 50751 16, 41 53140 24, 42 56498 18 7113 44 7426 48 7802 51 50755 16, 41 53140 24, 42 56486 31 7129 38 7466 50 7895 52 50757½ 16, 17 53133 24 56461 18 7112 47 7501 47 7500 47 7916 51 50755 16, 45 53140 24, 42 56488 18 7129 45 7519½ 28, 40 7918 40 50771 16 53188 24 56498 18 7129 45 7519½ 28, 40 7918 40 50771 16 53188 24 56498 18 7129 45 7519½ 28, 40 7918 40 50771 16 53188 24 56498 18 7129 45 7519 | Contraction of the Contraction o |  | West Name of the Control of the Cont |  |  |  |
| Total   Tota   |  | 7291 29  | 7653 47  |  |  |  |
| 7029 44 7320 39 7658 47 50468 25 52898 21 56098 22 7030 37 7330 39 7659 47 50484 25 52903 26,40 56103 .25,41 7034¼ 41 7362 47 7660 47 50486 51 52913 .26 56113 .25 7035 37 7362½ 47 7661 .20,43 50498 .25 52940 .26,42 56114 .25 7039 45 7364½ 51 7700 .33 50700 .17 52949 .26,43 56140 .25,42 7050 51 7366 47 7705 .33 50700 .17 52949 .26,43 56140 .25,42 7050 .51 7365 47 7705 .33 50700 .17 52961 .26 56113 .25 7061½ .38 7376 .27 7705½ .33 50701 .17 52961 .26 56169 .25,43 7061½ .38 7376 .27 7705½ .33 50701 .17 52968 .26 56161 .25 7063 .38 7377 .32 7714 .36 50701½ .17 52970 .26 56168 .25 7102 .28,40 7379 .32 7721 .27 50703 .16,40,41 52971 .26 56184 .25 7102 .28,40 7379 .32 7723 .34 50704 .16,44 52984 .26 56198 .25 7103 .40 7380 .32 7724 .35 50705 .16,41 52990 .30 56203 .22,40 7105 .44 7390 .31 7734 Full .39 50713 .16 5000 .24 41 5291 .27 50700 .24 4 7390 .31 7734 Full .39 50713 .16 5000 .24 41 56214 .22 7106 .44 7390 .31 7734 Full .39 50713 .16 5000 .24 42 56240 .22, 42 7105 .44 7390 .31 7735 Full .39 50716 .17 53040 .24 56240 .22, 42 7109 .45 7394½ .31 7735 Full .39 50716 .17 53040 .24 42 56240 .22, 42 7109 .45 7394½ .31 7735 Full .39 50716 .17 53040 .24 42 56240 .22, 42 7110 .44 7396 .31 7735 Full .39 50716 .17 53040 .24 42 56240 .22, 42 7110 .44 7396 .31 7735 Full .39 50716 .17 53040 .24 42 56240 .22, 42 7110 .44 7390 .31 7735 Full .39 50716 .17 53040 .24 56261 .22 7110 .44 7394 .31 7735 Full .39 50716 .17 53049 .24 .3 56261 .22 7110 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56240 .22, 42 7112 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56240 .22, 43 7112 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56240 .22, 43 7112 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56240 .22, 43 7112 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56268 .22 7112 .44 7420 .49 7733 .34 50740 .16,42 53084 .24 56268 .22 7112 .44 7420 .49 7736 .33 50730 .16 53060 .24 56268 .22 7112 .44 7420 .49 7736 .33 50730 .16 5306 .24 56266 .22 7112 .44 7420 .49 7736 .33 50740 .16,42 53084 .24 56461 .18 7112 .34 7420 .39 7919 .40 50757 .10 1.3 5314 .24 564 | 7025 37  | 7292 27  | 7655 47  | 50459 31   | 52884 21   |  |
| To   To   To   To   To   To   To   To  | 7026 45  | 7304 39  | 7657 47  | 50461 25   | 52886 31   | 56084 22   |
| 1730   | 7029 44  | 7320 39  | 7658 47  | 50468 25   | 52898 21   | 56098 22   |
| 7034¼         41         7362         47         7660         47         50486         31         52913         26         56113         25           7035         37         7362½         47         7661         20,43         50498         25         52940         26,42         56114         23           7039         45         7364½         51         7700         33         50700         17         52949         26,43         56140         25,43           7060         51         7365         47         7705         33         50700½         17         52968         26         56149         25,43           7061½         38         7377         32         7714         36         50701½         17         52970         26         56168         25           7101         38         7378         32         7714         36         50701½         17         52970         26         56168         25           7102         28,40         7380         32         7723         34         50704         16,44         13294         26         56118         25           7103         40         7380         32   |  | 1200   | and the second s |  |  | 5610325, 41  |
| 7035 37 7362½ 47 7661 20,43 50498 25 52940 26,42 56114 25 7039 45 7364½ 51 7700 33 50700 17 52949 26,43 56140 25,42 7050 51 7365 47 7705 33 50700 17 52961 26 56149 25,43 7061½ 38 7376 27 7705½ 33 50701 17 52968 26 56161 25 7063 38 7377 32 7714 36 50701½ 17 52968 26 56168 25 7101 38 7378 32 7714 27 50703 16,40,41 52971 26 56184 25 7102 28,40 7379 32 7723 34 50704 16,44 52984 26 56198 25 7103 40 7380 32 7724 35 50700 17 52998 26 56198 25 7103 40 7380 32 7724 35 50700 17 52998 26 56184 25 7105 44 7386 31 77341£ft 51 50710 17 52998 26 56203 22,40 7105 44 7390 31 7734Pull 39 50713 16 53003 24,41 56214 22 7105 44 7390 31 7735Pull 39 50713 16 53003 24,41 56214 22 7106 44 7390 31 7735Pull 39 50716 17 53013 24 56240 22,42 7107 44 7394 31 7737 39 50726 17 53040 24,42 56249 22,43 7109 45 7304½ 31 7737 39 50736 16 53061 24 56268 22 7110 44 7396 31 7734 39 50736 16 53061 24 56268 22 7110 44 7396 31 7738 39 50730 16 53061 24 56268 22 7111 44 7410 31 7751 39 50731 16 53060 24 5628 22 7111 44 7422 50 7755 34 50742 17,52 53086 31 56413 18 7114 44 7423 49 7756 33 50743 17,52 53086 24 56249 22 7115 44 7424 48 760 30 7855 34 50742 17,52 53086 31 56413 18 7115 44 7424 48 7662 35 50757 16,17 53113 24 56418 18 7117 40 7426 48 7802 51 50752 17 53113 24 56468 18 7118 28,40 7428 49 7756 33 50749 16,43 53103 24,40 56413 18 7117 40 7426 48 7802 51 50752 17 53113 24 56468 18 71127 47 7501 47 7909 28,40 50768 16 53184 24 56490 18 71127 47 7501 47 7909 28,40 50768 16 53184 24 56490 18 7127½ 47 7501 47 7909 28,40 50768 16 53184 24 56497 18 7127¼ 47 7502 47 7916 51 50752 17,51 53213 20 57678 46 71330 38 7540 39 7919 40 50777 17,51 53213 20 57678 46 7135 38 7542 39 7922 16,40 50786 31 53268 20 5808 21 7144 43 7560 52 7925 40 50790 16,50 53303 24,00 56578 46 7135 38 7542 39 7922 16,40 50768 31 53268 20 58084 21 7144 43 7560 52 7925 40 50790 16,50 53303 24,00 56578 46 7135 38 7542 39 7922 16,40 50790 16,50 53303 24,00 56578 46 7135 38 7540 39 7922 16,40 50790 16,50 53303 24,00 56578 46 7135 28,40 7562 52 7936 40 50790 16,50 53303 24,00 5808 21 71 |  |  |  | 6000 W C C   |  |  |
| 7039         45         7364½         51         7700         33         50700         17         52949         2.6, 43         56140         25, 42           7050         51         7365         47         7705         33         507001         17         52961         2.6         56149         25, 43           7061½         38         7376         27         7703½         33         50701         17         52968         26         56161         25, 33           7101         38         7377         32         7714         36         50701½         17         52970         26         56168         25           7102         28, 40         7379         32         7723         34         50704         16, 44         52984         26         56198         25           7103         40         7380         32         7724         35         50705         16, 41         52996         30         56203         22, 40           7103         40         7380         31         7734 Lift         51         50710         17         52998         26         56213         22           7105         41         7390         <  |  |  |  |  |  |  |
| 7050         51         7365         47         705         33         50700½         17         52961         26         56149         25, 43           7061½         38         7376         27         7705½         33         50701         17         52968         26         56161         25           7101         38         7378         32         7721         27         50703         16, 40, 41         52970         26         56168         25           7102         28, 40         7379         32         7723         34         50704         16, 44         52984         26         56198         25           7105         40         7380         32         7724         35         50705         16, 41         52990         30         56203         22, 40           7105         44         7386         31         7734 Lift         51         50715         17         5303         24         166214         22           7105         44         7390         31         7734 Pull         39         50713         16         53003         24         16         56213         22           7106         44         739  |  |  |  |  |  |  |
| 7061½         38         7376         27         7705½         33         50701         17         52968         26         56161         25           7063         38         7377         32         7714         36         50701½         17         52970         26         56168         25           7102         28         40         7379         32         7721         27         50703         16         40         41         52971         26         56184         25           7103         40         7380         32         7724         35         50705         16         41         52990         30         56203         22         40           7105         40         7380         31         7734 Lift         51         50710         17         52990         30         56203         22         40           7105         44         7380         31         7734 Lift         51         50715         17         5303         24         41         56213         22         7106         44         7399         31         7735 Lift         51         50715         17         5303         24         42         42   |  |  |  |  |  |  |
| 7063   |  | The second secon |  | a second control of the second control of th | 5 685  |  |
| 7101         38         7378         32         7721         27         50703         16, 40, 41         52971         26         56184         25           7102         28, 40         7379         32         7723         34         50704         16, 44         52984         26         56198         25           7103         40         7380         32         7724         35         50705         16, 41         52990         30         56203         22, 40           7105         44         7386         31         7734 Pull         39         50713         16         53003         24, 41         56214         22           7105         44         7390         31         7734 Pull         39         50713         16         53003         24, 41         56214         22         7106         44         7394         31         7735 Pull         39         50716         17         53013         24         56249         22, 43           7107         44         7394         31         7735         39         50726         17         53040         24, 42         56249         22, 43           7109         45         7394½2 <th< td=""><td></td><td></td><td></td><td></td><td>- 11</td><td></td></th<>   |  |  |  |  | - 11   |  |
| 7102         28, 40         7379         32         7723         34         50704         1.6, 44         52984         26         56198         25           7103         40         7380         32         7724         35         50705         1.6, 41         52990         30         56203         22, 40           7105         44         7380         31         7734 Lift         51         50710         17         52998         26         56213         22           7105½         44         7390         31         7734 Lift         51         50715         17         53013         24         56214         22           7106         44         7392         31         7735 Lift         51         50715         17         53040         24, 42         56249         22, 43           7109         45         7394½         31         7737         39         50726         17         53040         24, 43         56261         22           7110         44         7396         31         7748         33         50730         16         53040         24, 43         56261         22           7110         44         7420   |  |  | 7714 36  |  | 3 33 3   |  |
| 7103         40         7380         32         7724         35         50705         16, 41         52990         30         56203         22, 40           7105         44         7386         31         7734 Pull         39         50713         16         53003         .24, 41         56214         .22           7105         44         7390         31         7734 Pull         39         50713         16         53003         .24, 41         56214         .22           7106         44         7390         31         7735 Pull         39         50716         17         53013         .24         56240         .22, 42           7107         44         7394         31         7737         39         50726         17         53040         .24, 42         56249         .22, 43           7109         45         7394½         31         7737         39         50726         17         53040         .24, 42         56249         .22, 43           7110         44         7396         31         7748         33         50730         16         53061         .24         56268         .22           7111         49 <td< td=""><td>7101 38</td><td>7378 32</td><td>7721 27</td><td>5070316, 40, 41</td><td>52971 26</td><td></td></td<>   | 7101 38  | 7378 32  | 7721 27  | 5070316, 40, 41  | 52971 26   |  |
| 7105   | 710228, 40   | 7379 32  | 7723 34  | 5070416, 44  | 52984 26   |  |
| 7105 \( \frac{1}{2} \) 44 \\ 7390 \\ 31 \\ 7734 \text{Pull} \\ 39 \\ 50713 \\ 16 \\ 53003 \\ 24, 41 \\ 56214 \\ 22, 42 \\ 7106 \\ 44 \\ 7392 \\ 31 \\ 7735 \text{Lift} \\ 51 \\ 50715 \\ 17 \\ 53013 \\ 24 \\ 56240 \\ 22, 42 \\ 7107 \\ 44 \\ 7394 \\ 31 \\ 7735 \text{Pull} \\ 39 \\ 50716 \\ 17 \\ 53040 \\ 24, 42 \\ 56249 \\ 22, 43 \\ 7109 \\ 45 \\ 7394 \\ 23 1 \\ 7737 \\ 39 \\ 50726 \\ 17 \\ 53040 \\ 24, 43 \\ 56261 \\ 22 \\ 7110 \\ 44 \\ 7396 \\ 31 \\ 7737 \\ 39 \\ 50730 \\ 16 \\ 53061 \\ 24 \\ 56268 \\ 22 \\ 7111 \\ 44 \\ 7410 \\ 31 \\ 7751 \\ 39 \\ 50731 \\ 16 \\ 53061 \\ 24 \\ 56284 \\ 22 \\ 7113 \\ 44 \\ 7420 \\ 49 \\ 7753 \\ 34 \\ 50740 \\ 16, 42 \\ 53084 \\ 24 \\ 56298 \\ 22 \\ 7113 \\ 44 \\ 7422 \\ 49 \\ 7755 \\ 34 \\ 50742 \\ 17, 52 \\ 53086 \\ 31 \\ 56413 \\ 18 \\ 7114 \\ 44 \\ 7424 \\ 48 \\ 7762 \\ 35 \\ 50757 \\ 16, 43 \\ 53103 \\ 24, 40 \\ 56431 \\ 18 \\ 7118 \\ 28, 40 \\ 7428 \\ 49 \\ 7830 \\ 25 \\ 7095 \\ 50757 \\ 16, 44 \\ 53140 \\ 24, 42 \\ 56468 \\ 18 \\ 7120 \\ 38 \\ 7450 \\ 50 \\ 7918 \\ 49 \\ 7916 \\ 51 \\ 50768 \\ 16, 41 \\ 53168 \\ 24 \\ 56486 \\ 31 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 51 \\ 50777 \\ 16, 51 \\ 50777 \\ 16, 53 \\ 50784 \\ 20 \\ 50778 \\ 40 \\ 50784 \\ 21 \\ 7582 \\ 38 \\ 7542 \\ 39 \\ 7919 \\ 40 \\ 50777 \\ 17, 51 \\ 5078 \\ 40 \\ 50784 \\ 21 \\ 7563 \\ 38 \\ 7542 \\ 39 \\ 7919 \\ 40 \\ 50777 \\ 16, 51 \\ 50777 \\ 16 \\ 53168 \\ 24 \\ 56486 \\ 31 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 50 \\ 7918 \\ 40 \\ 50771 \\ 16, 41 \\ 53168 \\ 24 \\ 56486 \\ 31 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 51 \\ 50777 \\ 16, 51 \\ 50779 \\ 16, 53 \\ 50784 \\ 20 \\ 50788 \\ 20 \\ 50778 \\ 46 \\ 7133 \\ 38 \\ 7542 \\ 39 \\ 7922 \\ 40 \\ 50777 \\ 16, 41 \\ 50770 \\ 16, 53 \\ 50784 \\ 20 \\ 50788 \\ 20 \\ 50866 \\ 31 \\ 50778 \\ 46 \\ 7130 \\ 38 \\ 7541 \\ 39 \\ 7920 \\ 40 \\ 50771 \\ 16, 41 \\ 53203 \\ 20, 40 \\ 56486 \\ 31 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7916 \\ 51 \\ 50770 \\ 16 \\ 53203 \\ 20, 40 \\ 56498 \\ 20 \\ 75978 \\ 46 \\ 7135 \\ 38 \\ 7542 \\ 39 | 7103 40  | 7380 32  | 7724 35  | 5070516, 41  | 52990 30   | 5620322, 40  |
| 7105 \( \frac{1}{2} \) 44 \\ 7390 \\ 31 \\ 7734 \text{Pull} \\ 39 \\ 50713 \\ 16 \\ 53003 \\ 24, 41 \\ 56214 \\ 22 \\ 7106 \\ 44 \\ 7392 \\ 31 \\ 7735 \text{Lift} \\ 51 \\ 50715 \\ 17 \\ 53013 \\ 24 \\ 56240 \\ 22, 42 \\ 7107 \\ 44 \\ 7394 \\ 31 \\ 7735 \text{Pull} \\ 39 \\ 50716 \\ 17 \\ 53040 \\ 24, 42 \\ 56240 \\ 22, 42 \\ 7109 \\ 45 \\ 7394 \\ \\ 231 \\ 7737 \\ 39 \\ 50726 \\ 17 \\ 53040 \\ 24, 43 \\ 56261 \\ 22 \\ 7110 \\ 44 \\ 7396 \\ 31 \\ 7737 \\ 39 \\ 50730 \\ 16 \\ 53061 \\ 24 \\ 56268 \\ 22 \\ 7111 \\ 44 \\ 7410 \\ 31 \\ 7751 \\ 39 \\ 50731 \\ 16 \\ 53068 \\ 24 \\ 56284 \\ 22 \\ 7113 \\ 44 \\ 7420 \\ 49 \\ 7753 \\ 34 \\ 50740 \\ 16, 42 \\ 53084 \\ 24 \\ 56298 \\ 22 \\ 7113 \\ 44 \\ 7422 \\ 50 \\ 7755 \\ 34 \\ 50742 \\ 17, 52 \\ 53086 \\ 31 \\ 56413 \\ 18 \\ 7114 \\ 44 \\ 7424 \\ 48 \\ 7762 \\ 35 \\ 50749 \\ 16, 43 \\ 53103 \\ 24, 40 \\ 56431 \\ 18 \\ 7118 \\ 28, 40 \\ 7428 \\ 49 \\ 7830 \\ 25 \\ 50757 \\ 16, 44 \\ 53140 \\ 24, 42 \\ 56468 \\ 18 \\ 7120 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 51 \\ 50770 \\ 16 \\ 53188 \\ 24 \\ 56486 \\ 31 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 51 \\ 50777 \\ 16, 53 \\ 53198 \\ 20 \\ 50768 \\ 20 \\ 77578 \\ 46 \\ 7135 \\ 38 \\ 7542 \\ 39 \\ 7920 \\ 40 \\ 50784 \\ 61 \\ 50784 \\ 61 \\ 50784 \\ 20 \\ 7578 \\ 40 \\ 7561 \\ 52 \\ 7926 \\ 40 \\ 50799 \\ 16, 43 \\ 53303 \\ 23, 40 \\ 56488 \\ 21 \\ 7127 \\ 47 \\ 7501 \\ 47 \\ 7501 \\ 47 \\ 7909 \\ 28, 40 \\ 50768 \\ 16 \\ 50770 \\ 16 \\ 53203 \\ 20, 40 \\ 56486 \\ 21 \\ 7137 \\ 47 \\ 7501 \\ 47 \\ 7502 \\ 47 \\ 7916 \\ 51 \\ 50777 \\ 16 \\ 53198 \\ 20 \\ 50768 \\ 20 \\ 7778 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 40 \\ 7578 \\ 751 | 7105 44  |  |  |  | 52998 26   | 56213 22   |
| 7106         44         7392         31         7735 Lift         51         50715         17         53013         24         56240         22, 42           7107         44         7394         31         7735 Pull         39         50716         17         53040         24, 42         56249         22, 43           7109         45         7394½         31         7737         39         50726         17         53049         24, 43         56261         22           7110         44         7396         31         7757         39         50726         17         53049         24, 43         56261         22           7111         44         7410         31         7751         39         50731         16         53068         24         56284         22           7112         44         7420         49         7753         34         50740         16, 42         53084         24         56284         22           7113         44         7422         50         7755         34         50740         16, 42         53084         24         56430         18           7113         44         7424         48  |  |  |  |  |  | 56214 22   |
| 7107   |  |  |  |  |  |  |
| 7109   |  |  |  |  |  |  |
| 7110   |  | l company of the comp |  |  |  |  |
| 7111         44         7410         31         7751         39         50731         16         53068         24         56284         22           7112         44         7420         49         7753         34         50740         16, 42         53084         24         56298         22           7113         44         7422         50         7755         34         50742         17, 52         53086         31         56413         18           7114         44         7423         49         7756         33         50743         17, 52         53088         24         56430         18           7115         44         7424         48         7762         35         50749         16, 43         53103         24, 40         56431         18           7117         40         7426         48         7802         51         50752         17         53113         24         56461         18           7118         28,40         7428         49         7830½         51         50755         16, 44         53140         24, 42         56468         18           7120         38         7461         50   |  |  |  |  |  |  |
| 7112         44         7420         49         7753         34         50740         16, 42         53084         24         56298         22           7113         44         7422         50         7755         34         50742         17, 52         53086         31         56413         18           7114         44         7423         49         7756         33         50743         17, 52         53098         24         56430         18           7115         44         7424         48         7762         35         50749         16, 43         53103         24, 40         56431         18           7117         40         7426         48         7802         51         50752         17         53113         24         56461         18           7118         28,40         7428         49         7830½         51         50755         16, 43         53103         24, 40         56461         18           7118         28,40         7428         49         7830½         51         50755         16, 44         53140         24, 42         56468         18           7120         38         7430         <  |  | 0.000 0.000  | 2.5  |  | 2000 2000  |  |
| 7113         44         7422         50         7755         34         50742         17, 52         53086         31         56413         18           7114         44         7423         49         7756         33         50743         17, 52         53098         24         56430         18           7115         44         7424         48         7762         35         50749         16, 43         53103         24, 40         56431         18           7117         40         7426         48         7802         51         50752         17         53113         24         56461         18           7118         28,40         7428         49         7830½         51         50755         16, 44         53140         24, 42         56468         18           7120         38         7430         48         7857         52         50757         16, 17         53149         24, 43         56478         46           7120½         44         7460         50         7859         52         50757½         16, 41         53161         24         56484         18           7127         47         7501 <td< td=""><td></td><td></td><td></td><td>14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4</td><td></td><td></td></td<>  |  |  |  | 14 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4   |  |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  |  |  |  |  |  |  |
| 7115   | 7113 44  |  | 7755 34  | 5074217, 52  | 53086 31   |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | 7114 44  | 7423 49  | 7756 33  | 5074317, 52  | 53098 24   | to the second se |
| 7118         28,40         7428         49         7830½         51         50755         16,44         53140         24,42         56468         18           7120         38         7430         48         7857         52         50757         16,17         53149         24,43         56478         46           7120½         44         7460         50         7859         52         50757½         16,17         53149         24,43         56478         46           7125         38         7461         50         7904         28,40         50761         16         53168         24         56486         31           7127         47         7501         47         7909         28,40         50768         16         53184         24         56496         31           7127¼         47         7502         47         7916         51         50770         16         53198         24         56498         18           7129         45         7519½         28,40         7918         40         50771         16         53203         20,40         56578         46           7130         38         7540         39<  | 7115 44  | 7424 48  | 7762 35  | 5074916, 43  | 5310324, 40  |  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   | 7117 40  | 7426 48  | 7802 51  | 50752 17   | 53113 24   | 56461 18   |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  |  | 0.4.8  | The second secon | 100 4000   |  | 56468 18   |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |  |  |  |  | 200  |  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |  | 2 (2)  | A 00 4   |  | 200.00   |  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |  |  |  | 100 000 000 000 000 000 000 000 000 000  |  | The second secon |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |  | 200  | THE RESERVE AND THE RESERVE AN |  |  |  |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$   |  |  |  |  | 5.72   |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | The second secon | 100  | The second secon |  |  |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  |  |  |  |  | The same of the sa | The second secon |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | 7130 38  | 7540 39  |  | 5077717, 51  |  |  |
| 7136     41     7560     52     7925     40     50790     16, 30     53284     20     58061     21       7137     45     7561     52     7926     40     50798     16     53298     20     58068     21       7144     43     7562     52     7930     40     51203     20, 40     53303     23, 40     58098     21       7145     43     7580½     52     7934     41     51213     20     53313     23     58178     46       7150     20, 21, 43     7582     52     7936     41     51240     20, 42     53340     23, 42     58678     46  | 7134 41  | 7541 39  | 7920 40  | 50784 16   | 53261 20   |  |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$  | 7135 38  | 7542 39  | 792216, 40   | 50786 31   | 53268 20   | 0.00   |
| 7137   |  | Law of the control of |  |  |  | CONTROL MANAGEMENT CONTROL CON |
| 7144     43     7562     52     7930     40     51203     20, 40     53303     23, 40     58098     21       7145     43     7580½     52     7934     41     51213     20     53313     23     58178     46       7150     20, 21, 43     7582     52     7936     41     51240     20, 42     53340     23, 42     58678     46  |  |  |  | ACCUSED 171 DECEMBER 1   |  |  |
| 7145 43 7580½ 52 7934 41 51213 20 53313 23 58178 46 7150 20, 21, 43 7582 52 7936 41 51240 20, 42 53340 23, 42 58678 46   |  |  | The second secon | The second secon |  | 20.2   |
| 715020, 21, 43   7582 52   7936 41   5124020, 42   5334023, 42   58678 46  |  | La contract to the second contract to the sec |  | The same of the sa |  |  |
|  |  | A CONTRACTOR OF THE CONTRACTOR |  |  | 700 0000 0000  |  |
| 7191 44   7383 32   7938 40 . 3124920, 43 . 3334923, 43   387/8 46   |  | ***************************************  |  |  |  |  |
|  | /191 42  | 1 /383 52  | 1958 40  | )124920, 45  | . ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,  | 1 20//0 40   |


7

COLONIAL AND EARLY ENGLISH HARDWARE

EARLY
AMERICAN
WROUGHT
IRON
HARDWARE


LANTERNS

#### Hardware for the Entrance Doors



#### CORBIN

#### Hardware for the Entrance Doors



9

COLONIAL AND EARLY ENGLISH HARDWARE


EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

### CORBIN


10

#### Hardware for the Entrance Doors





#### Hardware for the Entrance Doors




11

COLONIAL AND EARLY ENGLISH HARDWARE

EARLY
AMERICAN
WROUGHT
IRON
HARDWARE


LANTERNS

#### Hardware for the Entrance Doors





#### Hardware for the Entrance Doors




13

COLONIAL AND EARLY ENGLISH HARDWARE

EARLY AMERICAN WROUGHT IRON HARDWARE


LANTERNS

#### Hardware for the Entrance Doors





#### Hardware for the Entrance Doors



15

COLONIAL AND EARLY ENGLISH HARDWARE

> EARLY AMERICAN WROUGHT IRON HARDWARE

> > LANTERNS





Cylinder Collar No. 50713 4½ x 2 in.



ENTRANCE
DOOR HANDLE
NO. 50784
10 x 2 in.
Projection 2½ in.
Handle number includes Cylinder Collar.



INTERIOR DOOR
ESCUTCHEON
NO. 50731
8 x 2½ in.
KNOB NO. 7922
2 in. dia.

#### Somerset

(Application on page 8)



ENTRANCE
DOOR KNOCKER
NO. 50768
7½ x 4 in.
Furnished with through bolt



THUMB KNOB NO. **50749** 2 x 1 in. 3/16 in. spindle



ENTRANCE DOOR ESCUTCHEON NO. 50730 9½ x 2¾ in. KNOB NO. 7922 2 in. dia.



EI.ECTRIC

PUSH BUTTON

No. 50761

3 x 1 in.

LETTER DROP PLATE
Size 23/8 x 81/2 in. Opening 1 x 41/2 in.
NO. 50770 without Back Plate
NO. 50771 with Back Plate



BACK PLATE furnished with No. 50771 Size 23% x 8½ in. Opening 1 x 4½ in. Letter Drop Plates are furnished with machine screws for attaching from rear.



HINGE PLATE
NO. 50798

Lengths 20 and 30 in. Butt stock 4 in.
In ordering, state length
Other size butt stocks made to order.



\*NO. 50755

Length 3½ in. Projection 2¾ in.

Rose NO. 50704
3 x 1¾ in.

For Knob or Lever



Rose No. **50703** 2 in. dia. For Knob or Lever



Key Escutcheon No. 50740 2 x 1 in.



DROP HANDLE
NO. 50757½
For use with Rose
NO. 50757
For lock side
Size 2¾ in. dia.
Rose NO. 50705
2 in. dia.
For Ring only.




Push Plate No. 50790 12 x 3 in.

\*Not reversible. State hand. Right hand shown.

All furnished with screws or studs No. 7648, as illustrated.



#### Somerset (continued)




HL HINGE PLATES No. 50716 Length 9 in. Widths 13/8 and 71/2 in. Furnished regularly for butts 4 x 4 in. Made for other sizes to order Reversible in pairs only.


When ordering singly, state hand.


\*No. 50752R ( "

\*No. 507525 ( "



H HINGE PLATES No. 50726 Each 9 x 13/8 in.





Left hand top or right

Reversible in pairs only.

hand bottom

No. 50715 4 x 21/4 in.



HL HINGE No. 50710 4 x 43/4 in.

BOLT No. 50743 Plate, 11/8 x 31/2 in. Strike, 11/8 x 2 in. Bolt projects 1/2 in.

BOLT No. 50742 Plate, 5 x 15/8 in. Length, 141/2 in. Bolt projects 11/2 in.





Strike for Single doors.



Dummy case for use as strike on pairs of doors.



No. 50742



rim

surface

(Brass Key) Shown with Drop Handle No. 50757 (Not included with lock)

CASEMENT FASTENERS

Plate 3 x 11/4 in. Lever 33/4 in. Projection 11/2 in.

\*No. 50752M (with mortise strike)

#### RIM KNOB LOCKS

Case  $3\frac{3}{4} \times 5\frac{1}{2} \times \frac{3}{4}$  in. Backset, hub 4 in.; keyhole 2 in. Strike  $3\frac{3}{4} \times 2 \times \frac{3}{4}$  in.  $\frac{5}{10}$  in. bronze hub. Cast bronze bolts. One key, class 5807/8. 3 tumblers. 640 changes. OPERATES: The latch bolt is operated from either side by knob or ring. The key projects or retracts the dead bolt fom either side.

\*No. 50700 With strike for single doors.

\*No. 507001/2 †Same as No. 50700 but with 0580 1/8 class master key.

\*No. 50701 With strike for pairs of doors \*No. 507011/2

†Same as No. 50701 but with 0580 % class master key.

\*Not reversible. State hand. Right hand shown. †Can be master keyed with other locks having 080% class master key. Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

COLONIAL AND EARLY **ENGLISH** HARDWARE

> EARLY AMERICAN WROUGHT IRON HARDWARE

> > LANTERNS



Cylinder Collar No. 56413 2½ x 2½ in.



Entrance Door Handle No. 56484 Size 13½ x 2 ¾ in. Projection 2¾ in.

#### \*Mayfield

(Application on page 8)



ELECTRIC PUSH BUTTON NO. 56461 2½ x 2½ in.




ENTRANCE DOOR ESCUTCHEON NO. 56430 11 x 234 in. KNOB NO. 7607 278 x 134 in.



Entrance Door Knocker No. **56468** 8<sup>1</sup>/<sub>4</sub> x 2<sup>5</sup>/<sub>8</sub> in.



Interior Door Escutcheon No. 56431 8½ x 2½ in. Knob No. 7608 2½ x 1½ in.



HINGE PLATES
SET NO. 56497
Includes two Corner Plates
and one Center Plate.

CORNER PLATES
Length 22 in. Width, over all 10 in.
CENTER PLATE
Lengths 18 and 28 in. Butt stocks 4 in.

Other size Butt stocks made to order.



CENTER PLATE
When Center Plates only are wanted, order by
NO. 56498

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

\*Pieces shown on pages 16 and 17 may be matched with this design.

#### Laverstock

(Application on page 9)



Interior Door Escutcheon No. 55831 9 x 25% in. Knob No. 7608 2½ x 1½ in.




ELECTRIC PUSH BUTTON NO. 55861 33/4 x 11/8 in.

See Odd Door Knockers page 32




Entrance Door Escutcheon No. 55829 14 x 41/8 in. Knob No. 7607

27/8 x 13/4in.



SET NO. 55897 Includes two corner plates and one center plate.



Butt stock regularly made 6 in. Other sizes made to order.

All pieces furnished with oval-head wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS



Cylinder Collar No. 51213 3 x 3 in.



ENTRANCE
DOOR HANDLE
NO. 51284
10½ x 2½ in.
Projection
2¼ in.



Entrance Door Knocker No. **53268** 6 x 2½ in.

#### Shrewsbury

(Application on page 9)



Knob No. 7922 2 in dia. Rose No. 51203 2 x 2 in.

Тнимв Клов No. 51249

11/2 x 11/2 in.

3 in. spindle



Key Escutcheon No. 51240 1½ x 1½ in.



ELECTRIC PUSH BUTTON NO. 51261 3 x 3 in.

Тнимв Кнов

No. 7150

13/4 x 11/8 in.

3 in. spindle



Entrance Door Knocker No. 51268 7½ x 4½ in.



No. 51298 Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

#### Marlboro

(Application on page 10)



KNOB NO. 7918 13/4 in. dia. Rose No. 53203 17/8 x 17/8 in.



Key Escutcheon No. 7661 13/4 x 11/8 in.



Cylinder Collar No. 53213 2½ x 2½ in.



ENTRANCE
DOOR HANDLE
NO. 53284
9 x 2½ in.
Projection 2 in.



HINGE PLATE
NO. 53298

Length 20 and 30 in. \*Butt stock 4 in.
In ordering, state length.

ELECTRIC

PUSH BUTTON

No. 53261

1 1/8 x 1 1/8 in.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

\*Other size Butt Stocks made to order.

## Concord (Application on page 10)



CYLINDER COLLAR NO. 52813 3½ x 2 in.



THUMB KNOB NO. **52849** 2 x 1<sup>1</sup>/<sub>4</sub> in. <sup>8</sup>/<sub>16</sub> in. spindle.



KNOB NO. 7926 2 in. dia. Rose No. 52803



Key Escutcheon No. **52840** 2 x 1<sup>1</sup>/<sub>4</sub> in.



ELECTRIC PUSH BUTTON NO. **52861**  $2\frac{1}{2} \times 1\frac{1}{4}$  in.



ENTRANCE DOOR KNOCKER NO. 52868 5½ x 2½ in.



ENTRANCE DOOR HANDLE NO. 52884 9½ x 1½ in. Projection 1¾ in.



6-\ - e



Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

Pottsville

(Application on page 11)



Cylinder Collar No. 58013 2 in. dia.



ENTRANCE DOOR KNOCKER NO. 58068 4 x 3 ½ in.



ELECTRIC
PUSH BUTTON
NO. 58061
2 in. dia.



KNOB NO. 7519½ 2¼ in. dia. Rose No. 7118 2 in. dia.




KEY ESCUTCHEON NO. 7650 13/4 x 11/8 in.



THUMB KNOB NO. 7150 13/4 x 11/8 in. 3/6 in. spindle



ENTRANCE
DOOR HANDLE
NO. 58084
10 x 23% in.
Projection
15% in.



Lengths, 20 and 30 in. \*Butt stock 4 in.
In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS



CYLINDER COLLAR No. 56013 3 x 21/4 in.



Тнимв Кнов No. 56049 15/8 x 11/8 in. 3 in. spindle





KNOB NO. 7926 2 in. dia. Rose No. 56003 23/8 x 13/4 in.



KEY ESCUTCHEON No. 56040 15/8 x 11/8 in.

HINGE PLATE No. 56098 Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt. All pieces furnished with oval-head wood screws.

Montgomery

(Application on page 12)



ELECTRIC PUSH BUTTON No. 56061 23/8 x 13/4 in.



ENTRANCE Door Knocker No. 56068  $6\frac{1}{2} \times 3$  in.



ENTRANCE DOOR HANDLE No. 56084 131/4 x 21/2 in. Projection



ENTRANCE Door Knocker No. 56268 5 x 21/4 in.



KNOB NO. 7925 13/4 in. dia. Rose No.56203 21/2 x 17/8 in.



KEY ESCUTCHEON No. 56240 15/8 x 13/8 in.



ELECTRIC Push Button No. 56261 3 x 2½ in.



CYLINDER COLLAR WITH DUST CAP No. 56214 3 x 21/8 in.



Тнимв Кнов No. 56249 15/8 x 13/8 in. 3 in. spindle



CYLINDER COLLAR

No. 56213

3 x 21/8 in.

ENTRANCE Door HANDLE No. 56284 111/2 x 21/8 in. Projection 23/8 in.



Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt. All pieces furnished with oval-head wood screws. \*Other size Butt stocks made to order.



# Plymouth (Application on page 12)



Cylinder Collar No. 53313 25% x 2½in.



THUMB KNOB NO. 53349 1½ x 1½ in. 36 in. spindle



Knob No. 7926 2 in. dia. Rose No. 53303 1% x 1% in.



Key Escutcheon No. **53340** 1½ x 1½ in.

HINGE PLATE No. 53398

Douvaine

(Application on page 13)




ELECTRIC PUSH BUTTON NO. 53361 11/8 x 11/8 in.



ENTRANCE Door Knocker No. 53368 5 x 4 in.



ENTRANCE
DOOR HANDLE
NO. 53384
11½ x 2½ in.
Projection
1½ in.



Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.



Cylinder Collar No. 50213 2¾ x 1¾ in.



ENTRANCE Door KNOCKER NO. 50268 5 x 3<sup>1</sup>/<sub>4</sub> in.



ELECTRIC
PUSH BUTTON
NO. 50261
23/4 x 13/4 in.



2 in. dia.
RoseNo.50203
27/8 x 17/8 in.



Key Escutcheon No. 50240 23/8 x 1½ in.



THUMB KNOB NO. 50249 23% x 1½ in. 36 in. spindle



ENTRANCE
DOOR HANDLE
NO. 50284
11½ x 2¾ in.
Projection



Lengths, 20 and 30 in. Also 24, 26, 28 and 42 in. Width, overall, 5% in. \*Butt stock 5 in. In ordering state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

#### Montreuil

(Application on page 13)



CYLINDER COLLAR

NO. 53113

4½ x 2¼ in.



THUMB KNOB No. 53149 2 x 1½ in. 36 in. spindle



Knob No. 7918 1¾ in. dia. Rose No. 53103 2½ x 1½ in.

KEY ESCUTCHEON

No. 53140

2 x 11/2 in.



ELECTRIC
PUSH BUTTON
NO. 53161
33/4 x 17/8 in.




ENTRANCE Door Knocker No. 53168 71/4 x 21/8 in.



ENTRANCE
DOOR HANDLE
NO. 53184
11 x 2½ in.
Projection
3¼ in.



No. 53198



Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.



Cylinder Collar No. **53013** 35/8 x 23/4 in.

#### Pamplona

(Application on page 14)



KNOB NO. 7934 2½ in. dia. Rose No. 53003 3½ x 2½ in.



THUMB KNOB NO. 53049 13/4 x 11/4 in. 3/16 in. spindle



ELECTRIC PUSH BUTTON NO. **5306**1 3½ x 2½ in.



Key Escutcheon No. 53040 13/4 x 1<sup>1</sup>/<sub>4</sub> in.



Entrance Door Knocker No. 53068 6 x 4 in.



HINGE PLATE NO. 53098

Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt.

All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.



ENTRANCE
DOOR HANDLE
NO. 53084
13½ x 2½ in.
Projection
2½ in.

Seville (Application on page 14)



25



CYLINDER COLLAR No. 50413 21/2 x 21/2 in.



ENTRANCE Door HANDLE No. 50484 10 x 23/4 in. Projection 23/8 in.



THUMB KNOB No. 50449 1½ x 1½ in. 3 in. spindle



KNOB No. 7934 21/4 in. dia. Rose No. 50403 23/8 x 23/8 in.



KEY ESCUTCHEON No. 50440 1½ x 1½ in.



ELECTRIC PUSH BUTTON No. 50461 2½ x 2½ in.



ENTRANCE DOOR KNOCKER No. 50468 51/2 x 41/2 in.



HINGE PLATE No. 50498 Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state length.

Handle number includes cylinder collar. Door knocker furnished with through-bolt. All pieces furnished with oval-head wood screws.

Terranova

(Application on page 15)



CYLINDER COLLAR No. 56113 35/8 x 31/8 in.



ENTRANCE Door Knocker No. 56168 6 x 3 in.



KNOB No. 7934 21/4 in. dia. Rose No. 56103 23/4 x 23/4 in.



KEY ESCUTCHEON No. 56140 13/4 x 13/4 in.



ELECTRIC PUSH BUTTON No. 56161 35/8 x 31/8 in.



CYLINDER COLLAR With Dust Cap No. 56114 35/8 x 31/8 in.



Тнимв Кнов No. 56149 13/4 x 13/4 in. 3 in. spindle





Lengths, 20 and 30 in. \*Butt stock 4 in. In ordering, state size.

Handle number includes cylinder collar. Door knocker furnished with through-bolt. All pieces furnished with oval-head wood screws.

\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.



ENTRANCE Door HANDLE No. 56184 135/8 x 31/8 in. Projection 31/8 in.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS



Cylinder Collar No. 52913 3 x 2<sup>1</sup>/<sub>4</sub> in.



THUMB KNOB NO. 52949 15% x 1½ in. 36 in. spindle



Burgos
(Application on page 15)

KNOB NO. 7519 ½ 2¼ in. dia. Rose NO. 52903 2¾ x 1¾ in.



Key Escutcheon No. **52940** 15% x 1½ in.




ELECTRIC PUSH BUTTON NO. 52961 23/8 x 13/4 in.




ENTRANCE DOOR KNOCKER NO. 52968  $6\frac{5}{8} \times 5\frac{1}{8}$  in.




ENTRANCE
DOOR HANDLE
NO. 52984
12 x 4 in.
Projection
23/4 in.



HINGE PLATE NO. 52998 75% x 275% in. \*Butt stock 4 in.



LETTER DROP PLATE
Size 4½ x 11¾ in.
Opening 1½ x 7 in.
NO. 52970 without Back Plate
NO. 52971 with Back Plate



BACK PLATE

Furnished with No. 52971

Size 4½ x 11¾ in.

Opening 1½ x 7 in.


Furnished with dummy studs and machine screws for attaching through door.


\*Other size Butt stocks made to order.

Handle number includes cylinder collar. Door knocker furnished with through-bolt. All pieces furnished with round head studs, except Rose, Key Escutcheon and Thumb Knob.




#### Toledo





ENTRANCE DOOR KNOCKER
NO. 7376
115% x 6½ in.
Furnished with Studs No. 7639



Entrance Door Escutcheon
No. 7292
127/8 x 31/4 in.
Shown with Lever No. 7009.
Length, 3 in. Projection 21/4 in.
Not reversible. State hand.
Right hand shown.
Furnished with Studs No. 7639.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish

EARLY AMERICAN

WROUGHT

IRON HARDWARE

LANTERNS

Door Knocker No. 50068 51/8 x 27/8 in.



ELECTRIC PUSH BUTTON No. 50061 2½ x 1½ in.

# Monterey



KNOB NO. 7936 2 in. dia. Rose No. 50003 2½ x 1½ in.



CYLINDER COLLAR with DUST CAP No. 50014 3 x 13/4 in.



CYLINDER COLLAR No. 50013 3 x 13/4 in.



KEY ESCUTCHEON No. 50040 23/8 x 1 in.



THUMB KNOB No. 50049 23/8 x 1 in. 3 in. spindle



LEVER NO. 7109 Length 43/8 in. Projection 23/8 in. Rose No. 50004 3 x 13/4 in.

Lever handle number does not include rose or cylinder collar. Order each by number. All pieces furnished with oval-head wood screws; Knocker with through-bolt.

#### Sectional Trim

FOR EXTERIOR DOORS



ELECTRIC PUSH BUTTON No. 55661 2 x 2 in.

CYLINDER COLLAR

No. 55613

2 x 2 in.



ELECTRIC Push Button No. 55261 2 in. dia.



PUSH BUTTON No. 55561





CYLINDER COLLAR No. 55513 23/8 x 23/8 in.



ELECTRIC

PUSH BUTTON

CYLINDER COLLAR No. 56113 35/8 x 31/8 in.



KNOB NO. 7909 2 x 2 in. Rose No. 7247 2 x 2 in.



CYLINDER COLLAR

No. 55213

2 in. dia.

KNOB NO. 75191/2 21/4 in. dia. Rose No. 7118 2 in. dia.



KNOB NO. 7904 17/8 x 17/8 in. Rose No. 7102 2 x 2 in.



KNOB NO. 7934 2 in. dia. Rose No. 56103 23/4 x 23/4 in.

Other Sectional Trim shown on pages 16, 20-26. Knob numbers do not include roses or cylinder collars. Order each by number. Furnished with oval-head wood screws.





ESCUTCHEON NO. 7245 203/4 x 3 in. Shown with KNOB NO. 75191/2 21/4 in. dia.

#### Escutcheons


FOR EXTERIOR DOORS



ESCUTCHEON NO. 7291
13 x 3 in.
Shown with Lever No. 7113
Length 4¼ in. Projection 2¾ in.
Not reversible. State hand.
Right hand shown.



ESCUTCHEON NO. 51829
12 x 3 in.
Shown with KNOB NO. 7904
11/8 x 11/8 in.
Studs No. 7653





ESCUTCHEON NO. 7210
7 x 2 in.
Shown with KNOB NO. 7918
134 in. dia.



ESCUTCHEON NO. 7212 65% x  $1\frac{1}{2}$  in. Shown with Knob No. 7938 13% in. dia.



ESCUTCHEON NO. 7214
6 x 3¾ in.
Shown with KNOB NO. 7940
2 in. dia,



ESCUTCHEON NO. 7264 6¾ x 2½ in. Shown with KNOB NO. 7904 1½ x 1½ in.

Escutcheon numbers do not include knobs. In ordering, indicate clearly by number all pieces wanted.

Other knobs shown on pages 40 and 41. Levers on pages 44 and 45.

Other escutcheons shown on pages 16, 18, 19 and 27.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

#### Push Plates



No. **7604** 12 x 3 ½ in.



No. **760**2 12 x 3½ in.



No. 50790 12 x 3 in. Studs No. 7648




No. 52990 12 x 4 in. Studs No. 7639



No. 51890 14 x 3½ in. Studs No. 7653



No. 7603 12% x 3¼ in. Studs No. 7639



No. 7600 13 x 4½ in. Studs No. 7653



No. 7605 14 x 3½ in.

Push Plates can be furnished with Grips or Rings, shown on next page, for use as Door Pulls, when so ordered. In ordering, give number of grip wanted, as: Push Plate EH7604 x Grip EH7410.

Furnished with oval-head wood screws, except as noted.

#### Door Pulls and Grips



PULL NO. 52886 111/4 x 2 in. Grip No. 73941/2 Cen. to Cen. 8 in. Projection 21/4 in.



Pull No. 51286 103/4 x 3 in. Grip No. 7396 Cen. to Cen. 73/4 in. Projection 21/8 in.



PULL NO. 51886 121/4 x 21/4 in. Grip No. 7390 Cen. to Cen. 85% in. Projection 23/4 in. Studs No. 7653

Grips FOR USE ON PLATES



Pull No. 56486 101/4 x 21/2 in. Grip No. 7396 Cen. to Cen. 73/4 in. Projection 21/8 in.



Pull No. 50786 13 x 21/4 in. Grip No. 73941/2 Cen. to Cen. 8 in. Projection 21/4 in. Studs No. 7648



PULL NO. 53086 11½ x 2¾ in. Grip No. 7386 Cen. to Cen. 61/4 in. Projection 23% in.



No. 7394 Cen. to Cen. 53/8 in. Projection 21/4 in.



No. 7410 Cen. to Cen. 43/8 in. Projection 21/8 in.



No. 7392 Cen. to Cen. 61/4 in. Projection 23/4 in.



Pull No. 50486 83/4 x 21/2 in. Grip No. 7386 Cen. to Cen. 61/4 in. Projection 23/8 in.

Door Pulls and Grips furnished with machine screws for attaching through door.

#### Ring Door Pulls



No. 51859 Plate 21/4 x 21/4 in. Ring 4 in. dia. Studs No. 7653



No. 50459 Plate 21/2 x 21/2 in. Ring 45% in. dia.

Rings furnished on other plates, as ordered. Furnished with machine screws for attaching through door.



No. 7260 Plate 2 in. dia. Ring 31/4 in dia. Studs No. 7639

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish. LOCKS AND

LATCHES






CYLINDER COLLAR
NO. 51813
2 x 2 in.
Furnished with Studs No. 7653



Entrance Door Handle
No. 51884
83/4 x 21/4 in.
Projection 25/8 in.
Furnished with Studs No. 7653
Handle number includes cylinder
collar.



ENTRANCE DOOR KNOCKER
NO. 7379
Size 93/4 x 7 in. Projection 23/4 in.
Furnished with Studs No. 7655
and through-bolt.

#### Odd Pieces



ELECTRIC PUSH BUTTON
NO. 52161
2 x 2 in.
Furnished with Studs No. 7653



ENTRANCE DOOR KNOCKER
NO. 7377
13½ x 6½ in.
Furnished with Studs No. 7647
and through-bolt.



ENTRANCE DOOR KNOCKER
NO. 7378
43/4 x 3 in.
Furnished with Studs No. 7640
and through-bolt.



CYLINDER COLLAR
NO. 52113
2 x 2 in.
Furnished with Studs No. 7653



ENTRANCE DOOR HANDLE
NO. 52184
Size, 13½ x 3½ in.
Projection 3 in.
Furnished with Studs No. 7653
Handle number includes cylinder
collar.



ENTRANCE DOOR KNOCKER
NO. 7380
73/4 x 41/2 in.
Furnished with oval-head wood
screws and through-bolt.



#### Odd Hinge Plates



No. 7705½ Width, over all 4 in. Lengths 11, 18, or 28 in. \*Butt stock 4 in. Furnished with Studs No. 7640



No. 7756

Width, over all 4 in.
Lengths 18, 24, 27 or 30 in.
\*Butt stock 4 in.
Furnished with Studs No. 7640 for 18 and 24 in.
Furnished with Studs No. 7641 for 27 in.

In ordering, state length.



No. 7700 Lengths, 17%, 243/4 and 29½ in. \*Butt stocks, 4, 4½ and 6 in. Furnished with Studs No. 7640.




For Shutters
No. 7748
Width, over all 3 in.
Lengths 14 or 18 in.
\*Butt stock 2½ in.
Furnished with Studs No. 7639.

### Offset Hinge Plates

(FOR PANELED DOORS)

SET NO. 7705



See also, Hinge Plates on page 18
\*Other size Butt stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

Set No. 7705

CORNERS

Length 22 in. Width, over all 9 in.

CENTER

Length 18 in. Width 4 in.


\*Butt stocks 4 in.

Furnished with Studs No. 7640


EARLY AMERICAN WROUGHT IRON HARDWARE


LANTERNS

#### Ornamental Hinge Plates



No. 7755 Size, over all 16½ x 22¾ in. \*Butt stock 6 in. Furnished with Studs No. 7640






\*Other size Butt stocks made to order.



# Ornamental Hinge Plates



\*Other size Butt Stocks made to order.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE


LANTERNS





# Ornamental Hinge Plates

SET No. 7714










Butt stock regularly made for 6 in. butts. Will be so furnished unless otherwise specified in order.



# H and HL Hinge Plates




\*No. 7030


Plates 7 in. long, 13/8 and 53/4 in. wide.
Furnished with studs No. 7647.



No. 7035 Plates, each 7 x 1¾ in. Furnished with studs No. 7647.



No. 7025
Plates, each 7 x 13/8 in.
Furnished with studs No. 7653.



\*No. 7020
Plates 7 in. long, 13/8 and 53/4 in. wide.
Furnished with studs No. 7653.

\*HL Hinge Plates are reversible, when ordered in pairs. When ordering singly, indicate hand wanted.

Made regularly for use with butts 3 x 3 in. Will be furnished for butts up to 4 x 4 in. if so specified.


(See also Somerset design, page 17)

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

#### H and HL Hinges



\*No. 7120 4 x 5 in.

This illustration shows a right hand top, or left hand bottom HL Hinge.



No. 7125 4 x 2½ in.



No. 7135 4 x 2½ in.



\*No. 7130 4 x 5 in.

This illustration shows a left hand top or right hand bottom HL Hinge.

See also, Somerset Design, page 17.

\*HL Hinges are reversible only in pairs. When ordering singly, state hand and whether for top or bottom of door.

Funished with oval-head wood screws.



No. 7063

#### Olive Knuckle Butt

HEAVY METAL WASHER BETWEEN JOINTS

No. 7063

Sizes

3 x 2½ in.

5 x 4 '

5 x 5 "

6 x 5 "6 x 6 "

Not reversible. In ordering, state hand.

Left hand shown.

When wanted in plain iron for painting, order No. 163.

Furnished with screws.



No. 7063

#### Butts



No. 7061½ Sizes

3 x 3 in. 3½ x 3½ " 4 x 4 "

4½ x 4½ " 5 x 5 " 6 x 6 "

No. 7101

Sizes

2 x 2 in. 2½ x 2½ "

 $3 \times 3$ 



No. 7015

Sizes
3 x 3 in.

3½ x 3½ " 4 x 4 "


4½ x 4½ " 5 x 5 "

In ordering, state hand. Left hand shown.

Furnished with screws.



#### Cupboard Hardware



HINGE PLATES

SET
NO. 7751
CORNERS
Length 8½ in.
Width, over all 5½ in.
Center of butt stock to outside edge 2¾ in.

CENTER

Length 8½ in.

Width, over all 5¾ in.

Butt stocks 3½ in.

Furnished with oval-head wood screws.



BAR LATCHES



No. 7751

No. 7330 Plates  $3\frac{1}{2} \times \frac{3}{4}$  in. Length of bar 2 in.



No. 7320 Plate 3½ x ¾ in. Length of bar 2 in.

Furnished with oval-head wood screws.

#### DRAWER KNOBS



No. **7540** 1¼ in. dia.



No. **7542** 1¼ in. dia.





No. 7541 1 x 1 in.

Furnished with machine screws and washers.

#### DRAWER PULLS



No. 7734 Size 11/4 x 41/2 in. Projection 13/8 in.



No. 7735 Size  $1\frac{1}{8} \times 3\frac{3}{8}$  in. Projection  $1\frac{1}{8}$  in



No. 7304 Size 15% x 33/4 in. Projection 7/8 in.



No. 7737 Size  $\frac{7}{16}$  x 4 in. Projection 1½ in

No. 7304 furnished with machine screws and nuts; others with oval-head wood screws,

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

#### Knobs and Roses





KNOB NO. 7919 15% in. dia. Shown with Rose No. 7117 134 in. dia.





KNOB NO. 7608

2½ x 1½ in.

KNOB NO. 7607

2% x 1¾ in.

Shown with Rose No. 7118

2 in. dia.





KNOB NO. 7938 13/4 in. dia. Shown with Rose No. 7129 13/4 in. dia.





KNOB NO. 7926
2 in. dia.
Shown with Rose No. 52803
3 x 2 in.





KNOB NO. 7930
2 in, dia,
Shown with Rose No. 50203
2% x 1% in.
or Rose No. 53103





KNOB NO. 7920 134 in. dia. Shown with Rose No. 7117 134 in. dia.





KNOB NO. 7909
2 x 2 in.
Shown with Rose No. 7247
2 x 2 in.





KNOB NO. 7925 13/4 in. dia. Shown with ROSE NO. 56203 21/2 x 17/8 in.





KNOB NO. 7926
2 in. dia.
Shown with Rose No. 56003
23/8 x 11/4 in.
or Rose No. 52903



KNOB NO. 7922
2 in, dia.
Shown with Rose No. 51203
2 x 2 in.





KNOB NO. 7519½
2½ in. dia.
Shown with Rose No. 7118
2 in. dia.





KNOB NO. 7904

17/8 x 17/8 in.

Shown with Rose No. 7103

23/8 x 23/8 in.

Rose No. 7102

2 x 2 in.





KNOB NO. 7918
134 in. dia.
Shown with Rose No.53203
178 x 178 in.








KNOB NO. 7922
2 in. dia.
Shown with Rose No. 50703
2 in. dia.

Knob numbers do not include Roses. Indicate each by number.

Furnished with oval-head wood screws.



#### Knobs and Roses



KNOB NO. 7936 2 in. dia. Shown with Rose No. 7136 21/4 x 21/4 in.






KNOB NO. 7934 21/4 in. dia. Shown with Rose No. 50403 23/8 x 23/8 in.






KNOB NO. 7940 2 in. dia. Shown with Rose No. 50703 2 in. dia.





KNOB NO. 7934 21/4 in. dia. Shown with Rose No. 53003 3½ x 2½ in.



KNOB No. 7934 21/4 in. dia. Shown with Rose No. 7134 31/4 x 13/4 in.



KNOB NO. 7934 21/4 in. dia. Shown with Rose No. 56103 23/4 x 23/4 in.

Knob numbers do not include Roses. Indicate each by number. Furnished with oval-head wood screws.

# Drop Handles

FOR USE WITH LOCKS



No. 7261 Ring 21/2 in. Rose 33/4 x 11/2 in. in. Spindle



No. 7286 Ring 2 in. Rose 15/8 in. dia.



No. 7266 Ring 23/8 in. Rose 15/8 in. dia. in. Spindle


# Safety Closet Spindle




Drop Handle No. 507571/2 23/4 in. dia. Rose No. 50705 2 in. dia. in. Spindle



No. 70341/4 Rose 13/4 in. dia. 15 in. Spindle Threaded





Furnished with oval-head wood screws.

escutcheon

HARDWARE LANTERNS

EARLY

AMERICAN

WROUGHT

IRON

LOCKS AND LATCHES

# Key Escutcheons

42



No. 50740 2 x 1 in.



No. 51240 1½ x 1½ in.



No. 52840 2 x 1<sup>1</sup>/<sub>4</sub> in.



No. **7650** 1¾ x 1⅓ in.



No. 7634 11/8 x 11/8 in



No. 56240 15/8 x 13/8 in.



No. 53340 1½ x 1½ in.



No. **50240** 23/8 x 1½ in.



No. 53140 2 x 1½ in.



No. 53040 1¾ x 1¼ in.



No. 50440 1½ x 1½ in.



No. 56140 1¾ x 1¾ in.



No. 56040 No. 52940 15% x 1½ in.



No. 50040 23/8 x 1 in.



No. 7204 1¼ x 1½ in.



No. 7209 13/8 x 13/8 in.



No. 7201 25% x 1½ in.



No. 7191 13/4 x 1 in.



No. 7193 2 x 13/8 in.



No. 7207 1½ x 2½ in.

Furnished with wood screws.



# Key Escutcheons WITH DROPS



21/4 x 1 in.



No. 7200 11/4 in. dia.



No. 7661 13/4 x 11/8 in.



23/4 x 1 in.

#### Furnished with wood screws.

#### Thumb Knobs

(With 3 in. Spindle)



No. 50749 2 x 1 in.



No. 51249 1½ x 1½ in.



No. 52849 2 x 11/4 in.



13/4 x 11/8 in.



No. 7144 17/8 x 11/8 in.



No. 56249 15/8 x 13/8 in.



No. 53349 1½ x 1½ in.



No. 50249 23/8 x 11/2 in.



No. 53149 2 x 1½ in.



No. 53049 13/4 x 11/4 in.



No. 50449 1½ x 1½ in.



No. 56149 13/4 x 13/4 in.



No. 56049 No. 52949 15/8 x 11/8 in.



No. 50049  $2\frac{3}{8} \times 1$  in.



No. 55549 13/8 x 13/8 in.



No. 7145 15/8 x 11/8 in.

Furnished with wood screws.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

LOCKS LATCHES

#### Lever Handles

AND ROSES

44



Lever No. 7001½ Length 2¾ in. Projection 15% in. Rose 1¾ in. dia.



' LEVER NO. 7018 Length 3¼ in. Projection 2¾ in. Rose 2 x 1 in.



Lever No. 7022

Length 23/4 in. Projection 21/2 in.

Rose 2 x 1 in.



Lever No. 7007 Length 2½ in. Projection 2½ in. Rose No. 7120½ 2 in. dia.



Lever No. 7019

Length 4½ in. Projection 3 in.

Rose No. 7005

2¼ x 1½ in.

With auxiliary spring



Lever No. 7029

Length 3% in. Projection 2½ in.

Rose No. 7115

2 x 1¾ in.



\*Lever No. 7110 Length 35% in. Projection 2½ in. Rose No. 7106 234 x 1½ in.



\*Lever No. 7114
Length 35% in. Projection 2½ in.
Rose No. 7107
2¾ x 1½ in.



\*Lever No. 7112
Length 3½ in. Projection 2½ in.
\*Lever No. 7113
Length 4¼ in. Projection 2¾ in.
Rose No. 7120½
2 in. dia.



\*Lever No. 7111

Length 4 in. Projection 2½ in.

Shown with Rose No. 7105
2¾ x 2¾ in.

Rose No. 7105½
2 x 2 in.

\*Not reversible. State hand. Right hand shown.


Furnished with screws for attaching roses.



\*Lever No. 50755 Length 3½ in. Projection 23% in. Rose No. 50704 3 x 13% in.

#### Lever Handles

AND ROSES




\*Lever No. 7109 Length 43% in. Projection 23% in. Rose No. 50004 3 x 13% in.



\*Lever No. 7009 Length 3¼ in. Projection 2¼ in. Rose No. 7129 1¾ in. dia.



\*Lever No. 7039 Length 3½ in. Projection 2½ in. Rose No. 7129 1¾ in. dia.



\*Lever No. 7003 Length 3½ in. Projection 2½ in. Rose No. 50004 3 x 1¾ in.

Furnished with screws for attaching roses.



Lever No. 7026
Length 21/8 in. Projection 21/8 in.
Rose No. 7137
31/4 x 13/4 in.
With auxiliary spring.



Lever No. 7002
Length 3½ in. Projection 2½ in.
Rose No. 50004
3 x 1¾ in.

\*Not reversible. State hand. Right hand shown.

# Roses With Auxiliary Springs

FOR USE WITH LEVER HANDLES



No. **7242** 2½ in. dia.



No. **7005** 2<sup>1</sup>/<sub>4</sub> x 1<sup>1</sup>/<sub>2</sub> in.



Auxiliary spring and hub fastened to back of these roses



No. **7137** 3½ x 1¾ in.

Furnished with screws for attaching.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

# Thumb Latches and Interior Door Handles



No. 587 with Bar No. 58778 for Lock 8<sup>1</sup>/<sub>4</sub> x 1<sup>3</sup>/<sub>4</sub> in.



No. 581 with Bar No. 58178 for Lock 7 x 15% in.



No. 586 with Bar No. 58678 for Lock 67/8 x 15/8 in.



No. 579 with Bar No. 57978 for Lock 7 x 13/4 in.



No. 512 with Bar No. 51278 for Lock 7½ x 2¾ in.



No. 565 with Bar No. 56578 for Lock 7½ x ½ in.




No. 576 with Bar No. 57678 for Lock  $6\frac{1}{2} \times 1\frac{1}{4}$  in.



No. 560 with Bar No. 56078 for Lock 9 x 2 in.

INTERIOR DOOR HANDLES FOR USE WITH LOCK



As Interior Door Handles to operate lock. Furnished with shortened thumbpieces.




No. 564 with Bar No. 56478 for Lock  $10\frac{1}{2} \times 2\frac{1}{4}$  in.

LOCKING BUTTON



No. 510

For locking down latch bars. Furnished only when ordered.




THUMB LATCHES
FURNISHED WITH LATCH BAR

Type of latch bar furnished with Thumb Latches.

See Latch Bar and Strikes for Reverse Bevel doors on next Page.



#### Offset Bar and Strike for Reverse Bevel Doors




No. 7501

Bar 35% in long. Offset  ${}^{7}_{16}$  in.
Strike  $2\frac{1}{4} \times 1\frac{1}{8}$  in.

Not reversible. State hand.

Left hand, reverse bevel shown.



No. 7501 Applied

## Strike for Reverse Bevel Doors


FOR USE WITH REGULAR LATCH BARS



No. 7502 13/8 x 21/6 in.

For 134 in. doors, without extension. For doors up to 21/4 in., with extension.

For right hand, reverse bevel doors only.



No. 7502 Applied

Made in wrought metal only. In ordering prefix symbol WEH or DH.

#### Door Stops



No. 7362 Height 15% in.



No. 7362½ Projection 25/8 in.



No. 7365 Projection 3<sup>1</sup>/<sub>4</sub> in.

#### Numerals





·No. 7652 ½ in. No. 7653 ¾ " No. 7655 ½ " No. 7657 ¾ " No. 7658 1 " No. 7659 1½ " No. 7660 1½ "



Studs

No. 7646  $\frac{3}{8}$  x  $\frac{9}{16}$  in. No. 7647  $\frac{1}{2}$  x  $\frac{3}{4}$  " No. 7648  $\frac{3}{4}$  x 1 "



No. 7639 3/8 in. dia.
No. 7640 1/2 " "
No. 7642 3/4 " "
No. 7643 1 " "
No. 7644 11/4 " "
No. 7645 11/2 " "


# 1234567890



Pins project from back for attaching.



No. 7649  $\frac{7}{16}$  in, dia.



All stud shanks are burred to prevent loosening.

EARLY AMERICAN WROUGHT IRON HARDWARE

LANTERNS

LOCKS AND LATCHES

#### Casement Fasteners

48




SURFACE



RIM



MORTISE



No. 7424

Plate 27% x 11% in. Lever 4 in.
Projection 134 in.
\*NO. 7424 M (with mortise strike)
\*NO. 7424 R ( " rim " )
\*NO. 7424 S ( " surface " )




SURFACE



RIM



MORTISE



No. 7430

Plate 5 x 1½ in. Lever 4 in.
Projection 1¾ in.

NO 7430 M (with mortise strike)

NO. 7430 R ( " rim " )

NO. 7430 S ( " surface " )



SURFACE



RIM



MORTISE



No. 7426

Plate 3½ x % in. Lever 3¾ in. Projection 1½ in.

NO. 7426 M (with mortise strike)

NO. 7426 R ( " rim " )

NO. 7426 S ( " surface " )

Furnished with oval-head wood screws.

(See also Fastener on page 17.)

\*Not reversible. State hand. Right hand shown.



#### Casement Fasteners








RIM



· MORTISE



No. 7420

Plate 2 x 11/4 in. Lever 4 in. Projection 13/4 in.

\*No. 7420 M (with mortise strike) \*No. 7420 R ( " rim " ) \*No. 7420 S ( " surface " )




SURFACE



RIM



MORTISE



No. 7423 Plate 23/4 x 11/2 in. Lever 37/8 in. Projection 15/8 in.

\*No. 7423 M (with mortise strike) \*No. 7423R ( " rim " ) \*No. 74235 ( " surface " )




SURFACE



RIM



MORTISE



No. 7428

Plate 21/2 x 11/2 in. Lever 37/8 in. Projection 15/8 in.

\*No. 7428 M (with mortise strike) \*No. 7428 R ( " rim \*No. 74285 ( " surface

Furnished with screws for attaching.

\*Not reversible. State hand. Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY **AMERICAN** WROUGHT IRON HARDWARE

LANTERNS

#### Casement Fasteners

50'









No. 7422 Plate 3 x 1/8 in. Lever 31/4 in. Projection 21/4 in. \*No. 7422 M (with mortise strike)

\*No. 7422 R ( " rim " ) \*No. 74225 ( " surface

Furnished with wood screws



SURFACE



RIM



MORTISE



No. 7460 Plate 33/8 x 11/8 in. Lever 33/4 in. Projection 11/2 in. \*No. 7460 M (with mortise strike)

\*No. 7460 R ( " rim \*No. 7460 S ( " surface

Furnished with wood screws



SURFACE





MORTISE




\*Not reversible. State hand.

Right hand shown.

No. 7461 Plate 33/8 x 11/4 in. Lever 5 in. Projection 11/2 in. \*No. 7461 M (with mortise strike) \*No. 7461 R ( " rim ")

\*No. 74615 ( " surface " )

Furnished with screws for attaching.





Casement Adjuster



No. 7050

Bar lengths 8, 10 or 12 in. Sash plate 11/8 x 3/4 in. Two sill plates 11/8 x 13/4 in. In ordering, state length of bar wanted. Furnished with wood screws.

#### Sash Hardware

FOR DOUBLE-HUNG WINDOWS



HOOK LIFT NO. 7802 3/4 x 15/8 in.



SASH FASTENER No. 78301/2 Case 1 x 25% in. Strike 7/8 x 25/8 in.



FLUSH LIFT No. 7218 1½ x 3¾ in.



BAR LIFT No. 50777 13/8 x 61/8 in.



BAR LIFT No. 7735 11/8 x 37/8 in. All furnished with wood screws.




BAR LIFT No. 7734 11/4 x 41/2 in.

### Shutter Dog



\*No. 7916 23/8 x 61/8 in. Furnished with 1/2 x 4 in. square head lag screw. Expansion bolt furnished when

so ordered.



Quadrant

FOR DUTCH DOORS



\*No. 73641/2 Plates 23/8 x 11/2 in. Height, over all 43/4 in. In ordering, state hand. Right hand shown. Furnished with wood screws.

\*Not reversible. State hand. Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

EARLY AMERICAN WROUGHT IRON HARDWARE


LANTERNS

#### **Bolts**





No. 7859 Plate 63/4 x 11/4 in. \*Lengths 6, 8 or 12 in.




No. 7857

Plate  $6\frac{3}{4} \times 1\frac{1}{4}$  in.  $\frac{1}{2}$  in. rabbet

Lengths 6 or 12 in. Reversible



No. 7560
Plate 45% x 17% in.
\*Lengths 9, 12, or 18 in.
Bolt projects 1½ in.
Made in DH finish only.





No. 7582 Length 8 in. Bolt projects 5% in.



No. 50743 Plate  $1\frac{1}{8} \times 3\frac{1}{2}$  in. Strike  $1\frac{1}{8} \times 2$  in. Bolt projects  $\frac{1}{8}$  in.



No. 7561
Width of plate 11/8 in.
\*Lengths 2, 21/2, or 3 in.
Bolt projects 3/8 in.
Made in DH finish only.



No. 7585
Width of plate 1 in.
Length 2½ in. Strike 1¼ in.
Bolt projects ½ in.



No. 7562
Width of plate 1 in.
\*Lengths 2, 2½, or 3 in.
Bolt projects 3/8 in.
Made in DH finish only.

All furnishings with wood screws for attaching \*In ordering, state length.



No. 7580½ ½ in. rod. Bolt projects 5% in. \*Lengths 6, 9, or 12 in.

# EARLY AMERICAN WROUGHT IRON HARDWARE

EARLY
AMERICAN
WROUGHT
IRON
HARDWARE

LANTERNS

#### Part II

54

# Early American Wrought Iron Hardware

N a search for the truly representative patterns of the wrought iron hardware of early America, one cannot help but feel that there was great ingenuity and originality among the blacksmiths of all the colonies. It would seem a task almost impossible of accomplishment, to establish for each individual design, the place and date of its origin, or the particular craftsman on whose forge it was produced.

But with an exhaustive study of the vast store of specimens and information available to us in the historical institutions of the country, in the old buildings which still stand and in the works of devoted students of the subject we are able to sense several distinct motives of design which underlie an overwhelming proportion. It becomes increasingly evident that many patterns are merely artistic variations of an original or master motif. It is possible in many cases to name the general section in which a particular motif rose to its greatest popularity and probably found its origin, as the work of an inventive blacksmith.

And so, in selecting a representative group of patterns for reproduction, Corbin has considered only those which can be definitely established among the authentic and popular motifs of the times. Those which are found to have been too limited in the scope of their use have been eliminated as have others which might be considered of a freakish or inartistic nature.

That the "ensemble" idea in design was not in vogue among the colonists is at once apparent. The door handle, hinges, and door knocker seldom were in matched design. Rather, there seems to have been prevalent, a tendency toward the use of pieces which were independent of each other, though the range of design among the knockers and hinges is not as wide in variety as that of the door handles.

On the pages which follow, the Corbin reproductions will be found in groups as they might be used—in a sort of pleasing compromise between modern uniformity and authentic individuality. One need not feel limited to their use in this manner however, for the pieces may be chosen to suit the ideas and tastes of the user. Electric push buttons have been added for modern efficiency where wanted.

Each piece is individually forged by hand from heated iron. The surface and contour of the articles vary slightly in appearance, due to the method of manufacture, but are reasonably uniform in size so that the dimensions given should be sufficient for ordinary applications.

#### **FINISHES**

Two finishes are provided—dead black, designated in ordering by the symbol DD, and half polished, symbol HD. Either finish can be supplied on all articles except No. 3988 Garage Bolt, No. 3 Garage Door Holder and No. 200 Garage Door Lock, which are made in a dead black finish only and which should be ordered by prefixing the symbol D.

Although the designs in this section are selected from early American patterns, it is entirely within the limits of good taste and judgement to use some of them on buildings which are not strictly early American in their predominant motives, but combine as well, architectural features of foreign lands, for many of the colonial designers took their inspirations from abroad. Undoubtedly, the greatest foreign influence on early American patterning was brought from England aboard the ships of the pilgrims. Too, there are early records to be found, which tell of the imports of wrought iron thumb-latches of the "bean type" (Branford Design, page 66) from that country. And to illustrate the manner in which new motifs sometimes found their way into colonial patterns, we have the crescent (Turkish) combined with the ball and spear (Colonial). The originals were found in towns along the Connecticut River and are believed to be the result of the visit of some sea-faring adventurer to the Orient. (See Hartford Design, page 63)



# Index to Part II

|              |  |  | Designs                        |      |  |
|--------------|--|--|--------------------------------|------|--|
| Design Name  |  |  | Motif                          | Page |  |
| COLCHESTER . |  |  | "Swordfish"                    |      |  |
| HARTFORD .   |  |  | "Ball and spear with crescent" | . 63 |  |
| HAVERHILL .  |  |  | "Arrowhead"                    |      |  |
| DOYLESTOWN   |  |  | "Heart"                        |      |  |
| BRANFORD .   |  |  | "Bean"                         | . 66 |  |
| LEXINGTON .  |  |  | "Notched arrowhead"            | . 67 |  |
| LAHASKA      |  |  |                                |      |  |
| HILLSDALE    |  |  | "Blown tulip"                  |      |  |
| WEST CHESTER |  |  | "Curled petal"                 | . 70 |  |
| BRONCK       |  |  | "Spearhead"                    | . 71 |  |
|              |  |  | "Square pattern"               | . 72 |  |
| HADDAM       |  |  | "Tobacco leaf"                 | . 73 |  |
| HADLYME      |  |  | "Beetle"                       |      |  |
|              |  |  |                                |      |  |

#### Articles

| Article Page                  | Article Page                               | Article Page                           |
|-------------------------------|--|--|
| Adjuster, Casement 79         |  | Latch Bar                              |
| Anti-Rattle Spring 79         | Escutcheons, Key                           | Latches, Bar 78                        |
| Bar Latch 78                  |  | Latches, Rim Knob                      |
| Bars, Latch                   | Foot Scraper 80                            | Latches, Thumb 62-74, 82               |
| Bolts 80                      | Garage Door Bolt 80                        | Letter Boxes 82                        |
| Bolts, Garage Door 81         | Garage Door Hardware 81                    | Lever Handles                          |
| Boxes, Letter 82              | Garage Door Holder 81                      | Lock, Garage Door 81                   |
| Butterfly Hinge 78            | Garage Door Lock 81                        | Locking Button                         |
| Button, Locking               | Garage Door Pulls 64, 67-69, 81            | Pintle Hinges                          |
| Buttons, Electric Push 62-74  | Garage Door T Hinges 64, 65, 67-69, 72, 81 | Plates, Hinge 62-74, 82                |
| Casement Adjusters 79         |  | Plates, Push                           |
| Casement Fasteners 79         | Handles, Entrance Door 62-74               | Pulls, Drawer 78                       |
| Chimney Iron 80               | Handles, Lever                             | Pulls, Garage Door 64, 67-69, 81       |
| Curved Hinge Plates 62-74     | Hinge Plates 62-74, 82                     | Rim Knob Latches                       |
| Cylinder Collars 62-74        | Hinge Plates, Curved 62-74                 | Roses, Knob                            |
| Dogs, Shutter 79              | Hinges, Butterfly /8                       | Roses, Lever 76                        |
| Door Knobs                    | Hinges, H and HL /8                        | Scraper, Foot 80                       |
| Door Pulls 64, 67-69, 81      | Hinges, Pilitie                            | Screws, Drive 80                       |
| Drawer Pulls 78               | Timges, 1                                  | Shutter Dogs 79                        |
| Drive Screws 80               | Holder, Garage Boot                        | Spring, Anti Rattle 79                 |
| Drop Handle                   | mon, chimne,                               | Strike for Reverse Bevel Doors 77      |
| Electric Push Buttons 62-74   |  | T Hinges, Garage 64, 65, 67-69, 72, 81 |
| Entrance Door Handles 62-74   |  | Thumb Latches 62-74, 82                |
| Entrance Door Knockers 62-74  |  | Thumb Knobs                            |
| Elitrance Door Knockers 62-74 | Kilockers, Elitrance Door 02-74            | Thumb Thobs                            |

#### Numbers


| 1401110013 |                |                 |             |              |              |  |  |  |  |  |
|------------|----------------|-----------------|-------------|--------------|--------------|--|--|--|--|--|
| No. Page   | No. Page       | No. Page        | No. Page    | No. Page     | No. Page     |  |  |  |  |  |
| 3 81       | 3988 81        | 9515 78         | 9749 62, 63 | 95113 70     | 96184 62     |  |  |  |  |  |
| 200 81     | 9003 76        | 9580 80         | 9755 64, 65 | 95161 70     | 96213 65     |  |  |  |  |  |
| 909 77     | 9005 76        | 9581 80         | 9756 70     | 95168 70     | 96261 65     |  |  |  |  |  |
| 950 69     | 9006 76        | 9582 80         | 9900 80     | 95184 70     | 96268 64, 65 |  |  |  |  |  |
| 951 70     | 9020 78        | 9600 76         | 9914 79     | 95213 63     | 96284 65     |  |  |  |  |  |
| 952 63     | 9025 78        | 9601 76         | 9915 79     | 95261 63     | 96413 68     |  |  |  |  |  |
| 953 72     | 9040 77        | 9602 76         | 9916 79     | 95268 63, 73 | 96461 68     |  |  |  |  |  |
| 954 67     | 9041 77        | 9720 62-74      | 9917 79     | 95284 63     | 96484 68     |  |  |  |  |  |
| 955 71     | 9050 79        | 972173, 74      | 9918 75     | 95303 75     | 96487 68     |  |  |  |  |  |
| 961 62     | 9090 80        | 9722 71         | 9920 84     | 95304 76     | 96503 75     |  |  |  |  |  |
| 962 65     | 9112 76        | 9723 66         | 9921 84     | 95313 72     | 96504 76     |  |  |  |  |  |
| 964 68     | 9120 78        | 9724 82         | 9922 85     | 95340 75     | 96513 64     |  |  |  |  |  |
| 965 64     | 9125 78        | 9725 82         | 9923 86     | 95349 75     | 96531 75     |  |  |  |  |  |
| 966 66     | 9250 78        | 9727 69         | 9924 85     | 95361 72     | 96540 75     |  |  |  |  |  |
| 972 65     | 9260 66, 74    | 9728 67, 68, 72 | 9925 75     | 95384 72     | 96549 75     |  |  |  |  |  |
| 979 66     | 9260½66,74     | 9729 62, 63     | 9926 86     | 95413 67     | 96561 64     |  |  |  |  |  |
| 980 82     | 9286 81        | 9730 81         | 9927 86     | 95461 67     | 96584 64     |  |  |  |  |  |
| 981 71     | 9320 78        | 973164, 65      | 9930 84     | 95484 67     | 96587 64     |  |  |  |  |  |
| 982 68     | 9370 62, 67-69 | 9732 69         | 9931 84     | 95487 67     | 96613 66     |  |  |  |  |  |
| 983 69     | 937271, 72     | 973367, 68, 72  | 9932 85     | 95503 75     | 96661 66     |  |  |  |  |  |
| 984 62, 74 | 9400 77        | 973564, 65      | 9933 86     | 95513 71     | 96684 66     |  |  |  |  |  |
| 986 67     | 9401 77        | 9736 70         | 9990 82     | 95540 75     | 96861 74     |  |  |  |  |  |
| 987 73     | 9402 77        | 9741 73, 74     | 9991 82     | 95549 75     | 96884 74     |  |  |  |  |  |
| 988 82     | 9403 77        | 9742 71         | 95013 69    | 95561 71     | 96931 75     |  |  |  |  |  |
| 989 72     | 9430 79        | 9743 66         | 95061 69    | 95584 71     | 96961 73     |  |  |  |  |  |
| 999 79     | 9432 79        | 9747 69         | 95084 69    | 96113 62     | 96984 73     |  |  |  |  |  |
| 1900       | 9503 77        | 9748 67, 68, 72 | 95087 69    | 96161 62     | 98731 75     |  |  |  |  |  |

LANTERNS

# CORBIN


56

# Hardware for Entrance Doors






#### Hardware for the Entrance Doors



57

LANTERNS

#### Hardware for Entrance Doors





# Hardware for the Entrance Doors




59

LANTERNS

# CORBIN


60

#### Hardware for the Entrance Doors





#### Hardware for Entrance Doors



61

LANTERNS

#### Colchester

(Application on page 56)

62



CYLINDER COLLAR No. 96113 31/4 x 21/4 in. Twelve in a box.



ELECTRIC PUSH BUTTON No. 96161 3 x 13/4 in. Three in a box.



No. 984 91/4 x 21/2 in. Furnished with No. 9041 Latch Bar shown on page 77. Two in a box, with Latch Bars



THUMB LATCH No. 961 12 x 23/4 in. Furnished with No. 9040 Latch Bar shown on page 77 One in a box with Latch Bar.



ENTRANCE DOOR KNOCKER No. 9370 Plates 23/4 x 23/4 in. Bail 5 x 35/8 in. One in a box, with through bolt.



PINTLE No. 9720 3 x 1½ in. For Hinge Plates



CURVED HINGE PLATE No. 9749 Regularly furnished for circle-top doors 3 feet wide, with 5 inch stile and  $\frac{1}{2}$  inch stop. Butt stock  $4\frac{1}{2}$  in. Other sizes made to order.

Hinge Plates will be furnished for use with Pintle No. 9720 when so ordered.

ENTRANCE DOOR HANDLE

No. 96184

12 x 23/4 in. Projection 23/8 in.

collar.

Made for use with cylinder locks. Handle number includes cylinder

One in a box, with cylinder collar.

HINGE PLATE No. 9729 Width 11/2 in. Lengths 14, 22 and 30 in. In ordering, state length. Two in a package.

All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished



#### Hartford

(Application on page 56)



Cylinder Collar No. 95213 33/8 x 2 in. Twelve in a box.



No. 95261
3 x 13/4 in.
Three in a box.

PINTLE

No. 9720

3 x 1½ in.

For Hinge Plates.

Hinge Plates will be furnished for use with Pintle when so ordered.



Entrance Door Knocker
No. 95268
9½ x 25% in.
One in a box.



NO. 952
13 x 25% in.
Furnished with No. 9040
Latch Bar shown on page 77.
One in a box, with Latch Bar



ENTRANCE DOOR HANDLE

NO. 95284


13 x 25% in.

Projection 2¼ in.

Made for use with cylinder locks.
Handle number includes cylinder collar.

All pieces furnished with drive screws.

One in a box, with cylinder collar.



HINGE PLATE

NO. 9729

Width 1½ in. Lengths 14, 22 and 30 in.

In ordering, state length. Two in a package.

Prefix letters for finish. DD dead black; HD half polished

LANTERNS

#### Haverhill

(Application on page 57)

64



Cylinder Collar No. 96513 23/8 x 21/4 in. Twelve in a box.



No. 96561
13/4 x 13/4 in.
Three in a box.



ENTRANCE DOOR KNOCKER

NO. 96268
6 x 2 in.

One in a box.



Garage Door Pull No. 96587 11 x 3½ in. Three in a box.



11 x 3½ in.

Furnished with No. 9040
Latch Bar shown on page 77.

One in a box, with Latch Bar.

ENTRANCE DOOR HANDLE
NO. 96584
11 x 3½ in.
Projection 2½ in.

Made for use with cylinder locks. Handle number includes cylinder collar.

One in a box, with cylinder collar.





Two in a package with drive screws.



PINTLE
NO. 9720
3 x 1½ in.
For Hinge Plates

Hinge Plates will be furnished for use with Pintle when so ordered.

All pieces furnished with drive screws except No. 9731



GARAGE T HINGES (Loose Pin) NO. 9731

Reverse Pads 6 x 15% in. Lengths 20 or 30 in. In ordering, state length.

One pair in a package with screws, through-bolts and washers.

Prefix letters for finish. DD dead black; HD half polished.



#### Doylestown

(Application on page 57)



CYLINDER COLLAR
NO. 96213
23/8 x 23/8 in.
Twelve in a box.



No. 96261
13/4 x 13/4 in.
Three in a box.

ENTRANCE DOOR KNOCKER

No. 96268

6 x 2 in.

One in a box.



No. 972
8 x 2½ in.
Furnished with No. 9041
Latch Bar shown on page 77
Two in a box, with Latch
Bars.



THUMB LATCH
NO. 962
93/4 x 27/8 in.
Furnished with No. 9040
Latch Bar shown on page 77
One in a box, with latch bar.



ENTRANCE DOOR HANDLE

NO. 96284

934 x 278 in.

Projection 214 in.

Made for use with cylinder locks.
Handle number includes cylinder

One in a box with cylinder collar.





GARAGE T HINGES (Loose Pin) No. 9731

Reverse Pad 6x15% in. Lengths 20 or 30 in. In ordering, state length. One pair in a package with screws and through-bolts and washers.



HINGE PLATE
NO. 9735
Width 1½ in. Lengths 14, 22 and 30 in.
In ordering, state length.
Two in a package.

PINTLE
NO. 9720
3 x 1½ in.
For Hinge Plates.

Hinge Plates will be furnished for use with Pintle when so ordered.

All pieces furnished with drive screws, except No. 9731.

Prefix letters for finish. DD dead black; HD half polished

LANTERNS

#### Branford

(Application on page 58)

66



CYLINDER COLLAR No. 96613 2 x 21/4 in. Twelve in a box.



ELECTRIC PUSH BUTTON No. 96661 11/4 x 13/4 in. Three in a box.





\*Entrance Door Knocker No. 92601/2 Plates 15/8 x 21/8 in. Ring 45% x 41/4 in. \*Also furnished as Drop HANDLE with 16 in. spindle for use with locks. Order by No. 9260 One in a box, with through-



THUMB LATCH No. 979 7 x 21/4 in. Has long thumb piece and is furnished with No. 9041 Latch Bar shown on page 77.

Two in a box with latch bar.



Тнимв Lатсн No.966 83/4 x 3 in. Furnished with No. 9040 Latch Bar shown on page

One in a box, with latch bar.




ENTRANCE DOOR HANDLE

No. 96684 83/4 x 3 in. Made for use with cylinder locks. Handle number

includes cylinder collar.

One in a box, with cylin-der collar.

PINTLE No. 9720 3 x 1½ in. For Hinge Plates Hinge Plates will be furnished for use with Pintle when so ordered.



No. 9743 Regularly furnished for circle-top doors 3 feet wide, with 5 inch stile and 1/2 inch stop. Butt stock 1½ inches. Other sizes made to order.

CURVED HINGE PLATE



HINGE PLATE No. 9723 Width 11/2 in. Lengths 14, 22 and 30 in. In ordering state length. Two in a package.

All pieces furnished with drive screws.



#### Lexington (Application on page 58)



CYLINDER COLLAR No. 95413 21/8 x 21/2 in. Twelve in a box.



ENTRANCE DOOR HANDLE No. 95484 11 x 33/4 in. Projection 21/4 in. Made for use with cylinder locks. Handle number includes cylinder collar. One in a box, with cylinder collar.



ELECTRIC PUSH BUTTON No. 95461 13/4 x 13/4 in. Three in a box. '




ENTRANCE DOOR KNOCKER No. 9370 Plates 23/4 x 23/4 in. Ring 5 x 35% in. One in a box, with through-




No. 986 83/4 x 21/2 in. No. 954 11 x 33/4 in. Furnished with No. 9041 and 9040 Latch Bars, respectively. Shown on page 77.


No. 986, two in a box; No. 954 one in a box, with latch bars.



GARAGE DOOR PULL No. 95487 11½ x 3¾ in. Three in a box.




Regularly furnished for circletop doors. 3 feet wide with 5 inch stile and ½ inch stop. Butt stock 4½ inches. Other sizes made to order.





(Loose Pin) No. 9733 Reverse Pad 6 x 15% in. Lengths 20 or 30 in. In ordering, state length.

One pair in a package, with screws and through-bolts and washers.



Width 11/2 in. Lengths 14, 22 and 30 in. In ordering, state length. Two in a package.



PINTLE No. 9720 3 x 1½ in. For hinge plates. Hinge Plates will be furnished for use with Pintle when so ordered.

> All pieces furnished with drive screws except No. 9733.

Prefix letters for finish. DD dead black; HD half polished

LANTERNS

Lahaska (Application on page 59)

68



CYLINDER COLLAR No. 96413 23/4 x 21/4 in. Twelve in a box.



ENTRANCE DOOR HANDLE No. 96484 11 x 33/8 in. Projection 21/4 in. Made for use with cylinder locks. Handle number includes cylinder collar. One in a box, with cylinder collar.



ELECTRIC PUSH BUTTON No. 96461 11/2 x 15/8 in.

Three in a box.



ENTRANCE DOOR KNOCKER No. 9370 Plates 23/4 x 23/4 in. Ring 5 x 35/8 in. One in a box, with drive screws and through-bolt.
\*Designed same as handle No. 96484



No. 982 9 x 21/4 in. \*No. 964 11 x 33/8 in. Furnished with No. 9041 and 9040 Latch Bars respectively. Shown on page No. 982, two in a box; No.

964, one in a box, with



GARAGE DOOR PULL No. 96487 11 x 33/8 in. Three in a box.

CURVED HINGE PLATE No. 9748

Regularly furnished for circletop doors 3 feet wide with 1/2 inch stop. Butt stock 41/2 in. Other sizes made to order.



HINGE PLATE No. 9728

Width 11/2 in. Lengths 14, 22 and 30 in. In ordering, state length.

Two in a package.

Hinge Plates will be furnished for use with Pintle when so ordered.



Reverse Pad 6 x 15% in. Lengths 20 and 30 in. In ordering, state length. One pair in a package with screws and through-bolts and washers.


No. 9720 3 x 1½ in. For Hinge Plates. All pieces furnished with drive screws, except No. 9733.



Prefix letters for finish. DD dead black; HD half polished




No. 95013 23/8 x 21/4 in.





ENTRANCE DOOR HANDLE No. 95084 12½ x 3½ in. Projection 21/4 in. Made for use with cylinder locks. Handle number includes cylinder collar. One in a box with cylinder collar.




Reverse Pad 6 x 15% in. Lengths 14, 22 and 30 in. In ordering, state length. One pair in a package, with screws and through-bolts and washers.

#### Hillsdale

(Application on page 59)



ELECTRIC PUSH BUTTON No. 95061 21/8 x 11/2 in. Three in a box.



ENTRANCE DOOR KNOCKER No. 9370 Plates 23/4 x 23/4 in. Ring 5 x 35% in. One in a box, with through-bolt.



No. 983 83/4 x 21/8 in. No. 950 121/2 x 31/2 in. Furnished with No. 9041 and 9040 Latch Bars respectively. Shown on page

No. 983, two in a box; No. 950, one in a box, with latch bars.



GARAGE DOOR PULL No. 95087 121/2 x 31/2 in. Three in a box.

CURVED HINGE PLATE No. 9747

Regularly furnished for circletop doors 3 feet wide with 1/2 inch stop. Butt stock 41/2 inches Other sizes made to order.

Hinge Plates and Hinges of this design are regularly furnished in pairs with finials curling downward and upward. When otherwise desired, state hand in ordering. Right hand shown.



HINGE PLATE No. 9727

Width 11/2 in. Lengths 14, 22 and 30 in. In ordering, state length. One pair in a box.



PINTLE No. 9720 3 x 1½ in. For Hinge Plates.

Hinge Plates will be furnished for use with Pintle when so ordered.

All pieces furnished with drive screws except No. 9732.

Prefix letters for finish. DD dead black; HD half polished

LANTERNS

#### West Chester

(Application on page 60)

70



Cylinder Collar No. 95113 23% x 21/4 in. Twelve in a box.



ELECTRIC PUSH BUTTON NO. 95161 17% x 15% in. Three in a box.

PINTLE

No. 9720

3 x 1½ in.

Hinge Plates will be fur-

nished for use with Pintle when so ordered.



ENTRANCE DOOR KNOCKER

NO. 95168
6½ x 2½ in.

Projection 2½ in.

One in a box.



No. 951
9½ x 3½ in.
Furnished with No. 9040
Latch Bar shown on page
77.
One in a box, with latch
bar.



ENTRANCE DOOR HANDLE

NO. 95184

9½ x 3½ in.

Projection 2¼ in.

Made for use with cylinder locks. Handle number includes cylinder collar.

One in a box, with cylinder collar.



CURVED HINGE PLATE
NO. 9756
Regularly furnished for circletop doors 3 feet wide with 5
inch stile and ½ inch stop. Butt
stock 4½ inches. Other sizes
made to order.



All pieces furnished with drive screws.

HINGE PLATE
NO. 9736
Width 1½ in. Lengths 14, 22 and 30 in.
In ordering, state length.
Two in a package.

# Bronck (Application on page 60)



CYLINDER COLLAR
NO. 95513
33/8 x 21/4 in.
Twelve in a box.



THUMB LATCH
NO. 95584

12½ x 2¾ in.
Projection 2½ in.
Made for use with cylinder locks. Handle number includes cylinder collar.
One in a box, with cylinder collar.

Hinge Plates will be furnished for use with Pintle No. 9720 when so ordered.



No. 95561
21/8 x 11/2 in.
Three in a box.



ENTRANCE DOOR KNOCKER

NO. 9372

5 x 2 in.

Projection 2½ in.

One in a box.

PINTLE

No. 9720

3 x 1½ in.


For Hinge Plates



No. 981
8½ x 2 in.
Furnished with No. 9041
Latch Bar shown on page
77.
Two in a box, with latch
bars.



THUMB LATCH
NO. 955
Furnished with No. 9040
Latch Bar shown on page
77.
One in a box, with latch



HINGE PLATE
NO. 9722
Width 1½ in. Lengths 14, 22 and 30 in.
In ordering, state length.
Two in a package.

All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished

71

LANTERNS

#### Wethersfield

(Application on page 61)

72




CYLINDER COLLAR No. 95313 2 x 2 in. Twelve in a box.



ELECTRIC PUSH BUTTON No. 95361 13/4 x 13/4 in. Three in a box.


ENTRANCE DOOR



THUMB LATCH No. 989 75/8 x 21/8 in. Furnished with No. 9041 Latch Bar shown on page 77. Two in a box, with latch bars.



ENTRANCE DOOR HANDLE No. 95384 103/4 x 31/2 in. Projection 21/4 in. Made for use with cylinder locks. Handle number includes cylinder collar.










PINTLE No. 9720 3 x 1½ in. For Hinge Plates.



HINGE PLATE



All pieces furnished with drive screws except No. 9733.

(Loose Pin) No. 9733 Reverse Pad 6 x 15% in. Lengths 14, 22 and 30 in. In ordering, state length.

GARAGE T HINGE

One pair in a box, with screws and through-bolts and washers.

Hinge Plates will be furnished for

use with Pintle when so ordered.

Prefix letters for finish. DD dead black; HD half polished

#### Haddam

(Application on page 61)



No. 96984



ELECTRIC PUSH BUTTON

NO. 96961

3½ x 1½ in.

Three in a box.

ENTRANCE DOOR HANDLE

NO. 96984

23¾ x 35% in.

Projection 2¼ in.

Made for use with cylinder locks.

One in a box.



ENTRANCE DOOR KNOCKER

NO. 95268

9½ x 25% in.

Projection 2½ in.


One in a box.



THUMB LATCH
NO. 987
93/4 x 21/4 in.
Furnished with No. 9041
Latch Bar shown on page 77.
Two in a box, with latch bar.



PINTLE
NO. 9720
3 x 1½ in.
For Hinge Plates.
Hinge Plates will be furnished for use with Pintle when so ordered.



HINGE PLATE

NO. 9721

Width 1½ in. Lengths 14, 22 and 30 in.
In ordering, state size.

Two in a package.

All pieces furnished with drive screws.

Prefix letters for finish. DD dead black; HD half polished

LANTERNS

## Hadlyme


74




ENTRANCE DOOR HANDLE No. 96884 18 x 3½ in. Projection 21/4 in. Made for use with cylinder locks. One in a box.



ELECTRIC PUSH BUTTON No. 96861 4 x 11/4 in. Three in a box



No. 92601/2 Plates 15/8 x 21/8 in. Ring 45/8 x 41/4 in. \*Also furnished as DROP HANDLE with 15 in. spindle for use with locks. Order by No. 9260






Furnished with No. 9041 Latch Bar shown on page 77. Two in a box, with latch bar.



PINTLE No. 9720 3 x 1½ in. For Hinge Plates Hinge Plates will be furnished for use with Pintle when so ordered.



HINGE PLATE No. 9721 Width 11/2 in. Lengths 14, 22 and 30 in. In ordering, state length. Two in a package.

All pieces furnished with drive screws.

## Knobs and Escutcheons



Escutcheon No. 96931 77/8 x 2 in. Knob No. 9925 13/4 in. dia.



ESCUTCHEON NO. 96531 73/8 x 15/8 in. KNOB NO. 9918 13/4 in. dia.

Escutcheons, six in a box, with drive screws Knobs two pair in a box.



ESCUTCHEON NO. 98731
8 x 15% in.
KNOB NO. 1900
17% x 13% in.
Knob is polished brass.
In ordering, prefix symbol "A".

## Knobs, Roses and Key Escutcheons



Rose No. 95503 2½ x 2½ in. KNOB No. 9918 1¾ in. dia.



No. 95540 1½ x 1½ in.



Rose No. 96503 21/8 x 2 in. KNOB No. 1900 11/8 x 13/8 in. Knob is polished brass.



No. 96540 1½ x 1½ in.



No. 95340 1% x 1½ in.

Rose No. 95303

2 x 2 in.

KNOB NO. 9925

13/4 in. dia.

Roses and Key Escutcheons, twelve in a box, with drive screws.

#### Thumb Knobs



No. 95549 1½ x 1½ in.



No. 96549 1½ x 1½ in.



No. 95349 1½ x 1½ in.

Thumb Knobs, twelve in a box, with drive screws.

Prefix letters for finish. DD dead black; HD half polished.

LANTERNS




No. 9003 15/8 x 2<sup>1</sup>/<sub>8</sub> in.



No. 95304 2 x 2 in.

## Lever Handle

AND ROSES



Lever No. 9112
Length 3½ in. Projection 23% in.
Rose No. 9005
2½ x 2½ in.
These Roses for use with Lever Handle only.
Lever, two pairs in a box.
Roses, twelve in a box, with screws.



No. 9006 4¼ x 1¾ in.




No. 96504 2½ x 2 in.

## Push Plates



No. 9600 12 x 3 in.



No. 9602 15 x 3½ in.

Six in a box, with drive screws.




No. 9601 Two Sizes 12 x 3 in. 15 x 3½ in. In ordering state size.




#### Rim Knob Latches

\*NOT REVERSIBLE




No. 9400 3 x 5 in. Includes one pair polished brass knobs 17% x 13% in. and brass rose 134 in. dia.




3 x 3 in.

Includes one pair polished brass knobs 1½ x 1¼ in.
and brass rose 1¾ in. dia.



No. 9403  $3\frac{1}{2} \times 5\frac{1}{2}$  in. Includes one pair polished brass knobs  $1\frac{7}{8} \times 1\frac{7}{8}$  in. and brass rose  $1\frac{3}{4}$  in. dia.




No. 9402 3½ x 3½ in. With Slide Bolt Includes one pair polished brass knobs 1½ x 1¼ in. and brass rose 1¾ in. dia.

\*In ordering, state hand. Left hand shown.
One set in a box, with screws.

#### Latch Bar

FURNISHED WITH THUMB LATCHES

LOCKING BUTTON



Latch Bar applied with
LOCKING BUTTON
NO. 909
Furnished with Latch
Bars only when ordered.



No. 9041
Length 67% in.
For use with small Thumb Latches.
No. 9040
Length 8 in.
For use with large Thumb Latches.


Twelve in a box, with screws.





No. 9503

STRIKE FOR REVERSE BEVEL DOORS



Latch Bar applied with Reverse Bevel Strike
NO. 9503
2½ x 1½ in.


LOCKS AND LATCHES

LANTERNS

Prefix letters for finish. DD dead black; HD half polished

## H and HL Hinges


78



\*No. 9125 3 x 3 in 4 x 4 " 7 x 63/4 " 9 x 81/2 "

No. 9120 3 x 134 in. 4 x 178 " 7 x 2<sup>1</sup>/<sub>4</sub> "

9 x 2½ "



#### RECOMMENDED USE OF H AND HL HINGES


FOR CUPBOARD AND INTERIOR DOORS

| 0      | olze of . | Door      |         |                    |            |
|--------|-----------|-----------|---------|--------------------|------------|
| Height | Width     | Thickness |         | Hinges             | Size       |
| 2'0"   | 1'8"      | 7/8"      | 1 pa    | ir HL Hinges       | 3 in.      |
| 3'0"   | 1'8"      | 1" 1 pai  | r HL Hi | nges, 1/2 pair H H | linges 4 " |
| 6'8"   | 2'6"      | 11/8"     | "       | "                  | 7 "        |
| 7'0"   | 2'8"      | 13/4"     | "       | "                  | 9 "        |

HL Hinges are reversible when ordered in pairs. When ordering singly, indicate hand wanted.

Six pairs in a box, with drive screws.

## Butterfly Hinge



No. 9515  $2\frac{1}{2} \times 2 \text{ in.}$  Six pairs in a box, with screws.


#### Drawer Pull



No. 9250
2½ x 2½ in.
Twelve in a box with drive screws.

All pieces furnished with screws.

#### Bar Latch



No. 9320
Plate and strike 2 x ¾ in.
Bar length 2¼ in.
Has brass knob.

Twelve in a box, with screws.

Prefix letters for finish. DD dead black; HD half polished

78A

## Shutter Hinges



\*No. **9771** (Right Hand)

Straps show when shutters are open.
Length (not including offset) 15 in.
Width of strap 1¼ in. Pintle 2¼ x 1 in.
Offset (A) ½ in. Throw (B) 2 in.




\*No. **9781** (Left Hand)


Straps show when shutters are closed.

Length (not including offset) 12 in.

Width of strap 1½ in. Pintle 2½ x 1 in.


Offset (A) ½ in. Throw (B) 2 in.





\*Not reversible. In ordering, state hand. Can be furnished to order for other details. Send sketch of application. Two pairs in a package, with screws.

## Shutter Dog



Attach to Page 79



No. 9252  $3\frac{1}{8} \times 2$  in. Twelve in a box, with screws.




No. 9913

(Reversible)  $6\frac{1}{4} \times 4\frac{3}{4}$  in.

Twelve in a box, with lag screws and washers. Furnished with expansion bolts, when so ordered.

## H and HL Hinge Plates



No. 9130

7 x 2½ in. 9 x 2½ in.

#### Shutter Bolt




No. 9585

 $10 \times 1\frac{3}{4}$  in. Bolt projects  $2\frac{5}{8}$  in. Six in a box, with screws. \*HL Hinges are reversible when ordered in pairs.
When ordering singly, indicate hand wanted.
Six pairs in a box, with drive screws.

in., as ordered.


Prefix letters for finish. DD dead black; HD half polished

LANTERNS





#### Casement Fasteners



No. 9430 M (with mortise strike)
No. 9430 R ( " rim " )
No. 9430 S ( " surface " )

No. 9432 R ( " rim " )
No. 9432 S ( " surface " )

Twelve in a box, with screws.

## Casement Adjuster




Plates, sash 2 x 1½ in., sill 2 x ¾ in.

Length of bar 10, 12, or 15 in.

In ordering, state length.

Four in a box, with screws.

## Shutter Dogs



Twelve in a box, with lag screws and washers. Furnished with expansion bolts, when so ordered. \*Not reversible, state hand. Left hand shown.


Prefix letters for finish. DD dead black; HD half polished.

79

LANTERNS

#### Bolts


80




No. 9582
5½ x 1¾ in.
Bolt projects 1¼ in.
Six in a box, with screws.

## Chimney Iron






No. 9580  $3\frac{1}{2} \times 1\frac{3}{8}$  in. Bolt projects  $\frac{3}{4}$  in. Six in a box, with screws.



No. 9900 Length 315% in. One in a package with lag bolt and washer.

## Foot Scraper



No. 9090

Extreme length 12 in. Width 61/4 in. Projection 61/2 in.

When ordered for use on stone or cement, the ends are bent to project downward.

One in a box, with lag screws

Prefix letters for finish. DD dead black; HD half polished



No. 9581
Plate  $3\frac{1}{2} \times 1\frac{3}{8}$  in.
Length, over all  $12\frac{1}{2}$  in.
Bolt projects  $\frac{3}{4}$  in.
Six in a box, with screws.

### Drive Screws



Furnished with articles where required.



## Garage Hardware

DOOR HOLDER




Arm bracket 21/4 x 31/4 in. Strike 25/8 x 31/4 in. Length, over all 31 in. Furnished in D finish only. One pair in a box, with screws.

DOOR BOLT

No. 3988 End case 33/4 x 21/2 in. Center case 21/8 x 21/2 in. Rod 1/2 in. dia. Adjustable for doors 7'11½" to 8'6" Can be adapted to shorter doors. Furnished in D finish only.

One in a package,

with screws.




DOOR PULL

No. 9286 93/4 x 4 in. Three in a box, with screws.


T HINGE (Loose Pin)

Reversible. May be applied as a half surface or full surface hinge.



Lengths 20 or 30 in. In ordering, state length. One pair in a package, with screws and through-bolts.







STRIKE NO. 1 For single doors. Furnished when so ordered.

No. 200 Case 41/2 x 45/8 in. Backset 3 in.

For pairs of hinged doors 11/8 to 23/4 in. thick opening out. The broad latching surface of the strike insures a safe grip for the latch bolt regardless of how much the door may sag.

Operates by key from outside and thumb piece inside. The stop holds the bolt retracted.

Furnished in D finish only. One in a box, with screws.

Prefix letters for finish. DD or D dead black; HD half polished.

81

LANTERNS

No. 980

8½ x 3 in.

Bar shown on page 77. Two in a box, with latch bars.

Furnished with No. 9041 Latch

82

# Odd Thumb Latches and Hinge Plates



No. 9725 Length 22½ in. Butt stock 4 in. Two in a package.



No. 9724

Length 27<sup>1</sup>/<sub>4</sub> in., width 4 in.

Butt stock 33% in.

Two in a package.

Furnished with drive screws.




No. 988

9 x 2½ in.

Furnished with No. 9041 Latch
Bar shown on page 77.
Two in a box, with latch bars.

#### Letter Boxes



No. 9990 Overall, length 16 in. Width 12 in. Inside of box 5 x 11 x 3 in.



No. 9991 Overall, length 19 in. Width 8 in. Inside of box 10 x 6 x 3 in.

Furnished with screws.

Prefix letters for finish; DD dead black; HD half polished.

# EARLY AMERICAN AND TRADITIONAL LANTERNS

83



HE quaint, interesting reproductions of old lanterns on the following pages are inseparably a part of the American Colonial and traditional European dwelling. In days of old they played an important role in domestic life, shining from their hangers as beacons to guide footsteps over winding paths, or occupying the center of activities during long evenings of close companionship. Today, they are the finishing marks of reality for modern buildings portraying the styles of early America and Europe. Applied at the entrances, they fix the stamp of authenticity to the exterior. In interiors, they may be hung by a fireplace, over a mantel, suspended from the ceiling or attached to the wall, to add that elusive atmosphere that somehow emanates from the ironwork of the old blacksmith.

These lanterns are made for use with modern electricity and serve a practical as well as an ornamental purpose. Unless otherwise noted in the description, lanterns are furnished without sockets or wiring. Lanterns with wall brackets are furnished with wood and machine screws and with a

standard spider for attaching where required. Ceiling fixtures are furnished regularly, only where illustrated. Two finishes can be provided; DD or dead black and HD, half polished. When furnished in DD finish the lanterns are made in copper and when finished in HD, they are made in zinc.

LANTERNS

#### Lanterns


No. 9920 With WALL BRACKET Height of Lantern 8 in. Diameter 41/4 in. Base of bracket 33/4 in. dia.

Extreme projection 7 in.

84



No. 9920




No. 9930 With CEILING FIXTURE Height of lantern 8 in.


Diameter 41/4 in. Length of chain 36 in. Canopy 5 in. dia.



No. 9931

No. 9931 With CEILING FIXTURE Height of lantern 103/4 in. Diameter 5 in. Length of chain 36 in. Canopy 5 in. dia.





No. 9930



No. 9921

## CORBIN


85

#### Lanterns




No. 9922








No. 9924






No. 9932

#### Lanterns



No. 9923

NO. 9923
With WALL BRACKET
Height of lantern 9¾ in.
Diameter 6 in.
Base of bracket 4¾ in. dia.
Center of bracket to top 6¾ in.
Extreme projection 7 in.





\*No. 9926

\*NO. 9926
With WALL BRACKET
Height of lantern 10½ in.
Diameter 4¾ in.
Base of bracket 4¾ in.
Center of bracket to top 13½ in.
Extreme projection 7½ in.

\*No. 9927
With WALL BRACKET
Height of lantern 9½ in.
Diameter 6 in.
Base of bracket 4¾ in. dia.
Center of bracket to top 14 in.
Extreme projection 8¼ in.

\*Nos. 9927 and 9926 are furnished with special bulb sockets. The use of a candle shaped bulb as Mazda T10 is suggested.



No. 9933



Prefix letters for finish; DD dead black; HD half polished.

## PART III

## LOCKS

AND


## **LATCHES**

#### Numbers

| Number Page | Number  | Page          | Number  | Page |
|-------------|---------|---------------|---------|------|
| 7045 90     | 7233    | 91            | 7465    | 91   |
| 7059 92     | 72331/2 | 91            | 7465½   | 91   |
| 7065 93     | 7241    | 94            | 7580    | 89   |
| 70657/8 93  | 7265    | 93            | 7795    | 91   |
| 7074 93     | 72657/8 | 93            | 77957/8 | 91   |
| 7074½ 93    | 7341    | 94            | 7906¾   |      |
| 7090 90     | 7343    | 95            | 79067/8 |      |
| 7149 90     | 7349½   | 94            | 79073/4 |      |
| 7159 92     | 7357½   | Total Control | 79077/8 |      |
| 7159½ 92    | 7409    |               | 50700   |      |
| 71593/4 92  | 7414    |               |         |      |
| 7165 91     | 7419    |               | 50700½  |      |
| 7165½ 91    | 7451    | 1901.0        | 50701   |      |
| 7177 90     | 7455    |               | 50701½  | 89   |

#### Rim Knob Locks

88



No. 7409

No. 7409

Reversible

Case 3 x 4 x 3/4 in.

Strike 3 x 3/4 x 3/4 in.

Backset, hub 31/4 in.; keyhole 13/4 in.; 15 in. Bronze Hub

Cast bronze bolts

1 tumbler

6 changes

**OPERATES** 

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side. The thumb bolt is projected by thumbpiece from inside.

No. 7451

Reversible

Case 33/4 x 57/8 x 3/4 in.

Strike 33/4 x 7/8 x 3/4 in.

Backset, hub 43/4 in.; keyhole 23/8 in.; 5/16 in. Bronze Hub


Cast bronze bolts

1 tumbler


12 changes

**OPERATES** 

The latch bolt is operated by knob from either side. The dead bolt is projected or retracted by key from either side. The slide inside projects the thumb bolt.



No. 7451



No. 7414

No. 7414

Case 33/4 x 51/4 x 3/4 in.

Backset, hub 4 in.; keyhole 2 in.

Strike 33/4 x 1 x 3/4 in.; 5 in. bronze hub.

Cast bronze bolts

3 tumblers

640 changes

**OPERATES** 

The latch bolt is operated from either side by knob. The key projects or retracts the dead bolt from either side.

No. 7455

Reversible

Case 4 x 33/8 x 3/4 in.

Backset 25% in.

Strike 4 x 3/4 x 3/4 in.

Spacing 21/2 in.

5 in. Bronze Hub

Cast bronze bolts

1 tumbler 12 changes

Has bronze works


**OPERATES** 

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side.

No. 7455

All furnished with oval-head wood screws.

#### Rim Knob Locks



No. 7419

No. 7419 Reversible

Case 53/8 x 5 x 11/4 in.

Backset 21/2 in. 5 in. Bronze Hub

Strike 53/8 x 11/4 x 11/4 in.

Cast bronze bolts

3 tumblers

36 changes

OPERATES

The latch bolt is operated by knob from either side. The key projects or retracts the dead bolt from either side.



Strike for

single doors



Dummy Case for use as strike on pairs of doors

(Shown with knob No. 7922. Knob is not included with lock.)

Case 33/4 x 51/2 x 3/4 in. Backset, Hub 4 in.; keyhole 2 in. Strike  $3\frac{3}{4} \times 2 \times \frac{3}{4}$  in.;  $\frac{5}{16}$  in. bronze hub

Cast bronze bolts

3 tumblers 640 changes

OPERATES: The latch bolt is operated from either side by knob. The key projects or retracts the dead bolt from either side.

\*No. 50700

(With strike for single doors) \*No. 507001/2

(Same as No. 50700 but with 05807/8 class master key)

\*No. 50701


(With strike for pairs of doors) \*No. 507011/2

(Same as No. 50701 but with 0580 % class master key)



Drop Handle No. 507571/2 No. 50757 for lock side. 23/4 in. dia. Rose No. 50705 2 in. dia. (For Ring only)

#### Rim Front Door Lock



\*No. 7580



Outside View Applied

**OPERATES** 

The latch bolt is operated by the knobs from either side and by the key from outside at all times. The dead bolt is operated by the key from outside and by the thumb knob inside. The outside knob is locked by the stop in the lock face.

Case 5 x 8 x 1 in. Strike 5 x 11/4 x 1 in. Backset, Hub 6 in.; Cylinder 23/4 in. Hub, 3/8 x 1/6 in. swivel. Cast bronze case and works Thumb knob 11/8 x 5/8 in. Easy spring latch bolt. One No. 251 cylinder 3 keys, class 27 Changes unlimited

Rim Locks furnished with oval-head wood screws. \*Not reversible. State hand. Right hand shown.

Prefix letters for finish. EH colonium metal; DH bronze metal, black finish.

#### Mortise Latch

FOR THUMB LATCH BOTH SIDES (See illustration on page 46)

No. 7177

No. 7177 Reversible

Japanned iron case 21/4 x 31/2 x 5/8 in.

Backset 25/8 in. Front 41/4 x 1 in. Furnished 3 in. backset, when so ordered; width of case 7/8 in.

more than backset.

Strike, lip to center 11/4 in. Cast bronze bolt, easy spring.

OPERATES: By thumb latch from either side.

#### Mortise Knob Latches

Reversible

No. 7045

Japanned iron case 15/8 x 31/4 x 1/6 in. Backset 21/2 in. Furnished 11/2, 2, 21/4 or 23/4 in. backset when so ordered; width of case 5/8 in. more than backset.


Front 33/8 x 7/8 in.

Iron hub 15 in.

Strike, lip to center 1 in.

Cast bronze bolt, easy spring.

OPERATES: By knob from either side.



No. 7149

Japanned iron case 21/4 x 3 16 x 5/8 in. Front 4 x 1 in. Backset 2¾ in. Furnished 2, 2¼ or 2½ in. backset when so ordered; width of case ¼ in. more than backset.

No. 7090

Japanned iron case.  $2\frac{7}{16} \times 3\frac{9}{16} \times \frac{3}{4}$  in. Front  $4\frac{1}{2} \times 1\frac{1}{8}$  in. Backset 234 in. Furnished 214, 21/2 or 3 in. backset when so ordered; width of case 7/8 in. more than backset.

Nos. 7149, 7090

Cast bronze bolt, easy spring.

Bronze hub 15 in.

Strike, lip to center 11/4 in.

OPERATES: By knob from either side.

### Mortise Knob Locks

No. 79063/4 Reversible

Japanned iron case 31/8 x 51/2 x 5/8 in.


Backset, to keyhole, 216 in.; to hub 5 in.

Front 51/8 x 1 in. Strike, lip to center 11/2 in. Bronze hub 15 in.


Cast bronze bolts. Easy spring latch bolt.

No. 7906 1/8

Same as No. 79063/4 but has 0807/8 class master key. OPERATES: Latch bolt by knob from either side. Dead bolt by key from either side.



Nos. 79063/4, 79067/8



All Locks and Latches furnished with screws.

\*In ordering, state hand. Right hand shown.

\*No. 79073/4 Not reversible Japanned iron case 31/8 x 51/2 x 5/8 in. Backset, long side to keyhole, 216 in.; to hub 5 in. Front 53/8 x 13/6 in., 1/2 in. rabbet. Strike, lip to center 13/8 in. Cast bronze bolts. Bronze hub 16 in. Easy spring latch bolt. \*No. 79071/8 Same as No. 79073/4 but has 0807/8 class master key. OPERATES: Latch bolt by knob from either side. Dead bolt by key from either side.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished

1




Nos. 79073/4, 79077/8

No. 7090 heavier type

No. 7149

#### Mortise Knob Locks



Nos. 7165, 71651/2

No. 7165 Reversible

Japanned iron case  $4\frac{1}{4} \times 3\frac{1}{2} \times \frac{5}{8}$  in.

Backset 23/4 in. Spacing 25/8 in.

Furnished 3½ in backset, when so ordered; width of case ¾ in more than backset.

Front  $6\frac{1}{4} \times 1\frac{1}{16}$  in. Strike, lip to center  $1\frac{1}{8}$  in. Bronze hub  $\frac{5}{16}$  in. Cast bronze bolts, Easy spring latch bolt. 3 tumblers, 640 changes, No.  $7165\frac{1}{2}$ 

Same as No. 7165 but with 080% class master key.

#### OPERATES

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.

No. 7465

Reversible Japanned iron case 4½ x 3½ x 5% in.

Backset 23/4 in., long side. Spacing 25/8 in.


Furnished 13/8, 15/8, 2 or 21/4 in. backset when so ordered; width of case 3/4 in. more than backset.

Front 6½ x 1 3 in., ½ in. rabbet beveled ⅓ in. 2 in.
Strike, lip to center 1¼ in. Bronze hub 5 in.
Cast bronze bolts, Easy spring latch bolt. 3 tumblers. 640 changes.


No.  $7465\frac{1}{2}$  Same as No. 7465 but has  $080\frac{7}{8}$  class master key.

#### OPERATES

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.



Nos. 7465, 74651/2



Nos. 7795, 77957/8

No. 7795

Reversible

Japanned iron case 41/8 x 31/2 x 1/6 in.

Backset 23/4 in.

Spacing 25% in.

Front 61/8 x 1 in.

Bronze hub 5 in.

Strike, lip to center 1 in.

Cast bronze bolts. Easy spring latch bolt. 1 tumbler. 24 changes.

No.7795 1/8

Same as No. 7795 but with 195 class master key and has 3 tumblers and 250 changes.

#### **OPERATES**

The latch bolt is operated by knob from either side. The key operates the dead bolt from either side.

No. 7233

Reversible

Japanned iron case 45% x 31/2 x 5% in.

Backset 23/4 in.

Front 6½ x 1 in.

Spacing, knob to thumb knob 1 1/8 in.;

Knob to key 33 in.

Strike, lip to center 13% in. Bronze hubs 3 and 5 in.


Cast bronze bolts. Easy spring latch bolt. 3 tumblers. 640 changes.

No. 72331/2

Same as No. 7233 but has 0807/8 class master key.

OPERATES

The latch bolt is operated from either side by the knob. The dead bolt is operated from the outside by the key and from the inside by the thumb knob.




Nos. 7233, 72331/2

All locks furnished with screws.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished

91

## Mortise Communicating Door Locks



No. 71591/2 Reversible

Japanned iron case 41/4 x 31/2 x 5/8 in.

Backset 23/4 in. Front  $6\frac{1}{4} \times 1\frac{1}{16}$  in.

Spacing 25% in.

Bronze hubs 3 and 5 in.

Strike, lip to center 1 in.

Cast bronze bolts. Easy spring latch bolt.

Thumb Knob No. 7145

**OPERATES** 

The latch bolt is operated by knob from either side. The dead bolt is operated by the thumb knob from the inside.

No. 71593/4 Reversible

Japanned iron case 41/4 x 31/2 x 5/8 in.

Backset 23/4 in.

Spacing 25/8 in.

Front 61/4 x 1 in.


Bronze hubs  $\frac{3}{16}$  and  $\frac{5}{16}$  in.

Strike, lip to center 1 in. Cast bronze bolts. Easy spring latch bolt.


Thumb Knob No. 7145

**OPERATES** 

The atch bolt is operated by knob from either side. Thumb knobs operate the split dead bolt from either side and lock against each other.



No. 71593/4



No. 7059

No. 7059 Reversible

Japanned iron case 35/8 x 31/4 x 1/8 in.

Backset 25% in.

Spacing 23 in. Furnished 2 in. backset when so ordered;

width of case 11 in. more than backset.

Front  $5\frac{1}{2} \times \frac{15}{16}$  in.

Bronze hubs  $\frac{3}{16}$  in. and  $\frac{5}{16}$  in.

Cast bronze bolts.

Easy spring latch bolt.

Thumb Knob No. 7145

**OPERATES** 

The latch bolt is operated by knob from either side. The thumb knob inside and the key outside operate the dead bolt.

No. 7159

Reversible

Japanned iron case 35/8 x 31/4 x 9/16 in.

Backset 25% in.

Spacing 23 in.

Furnished 2 in. backset when so ordered; width of case 11/16 in. more than backset.

Front 51/2 x 15 in. Bronze hubs 3 in. and 5 in.

Strike, lip to center 1 in.


Cast bronze bolts.

Easy spring latch bolt.

Thumb Knob No. 7145

**OPERATES** 


The latch bolt is operated by the knob from either side. The dead bolt is operated by the thumb knob from the inside.



All locks furnished with screws.

#### Mortise Knob Locks

FOR USE WITH LEVER HANDLES



Nos. 7065, 7065 1/8

Reversible

Japanned iron case 43/4 x 23/8 x 5/8 in.

Backset 11/2 in.

Spacing 25/8 in. Furnished 11/4, 13/4, or 2 in. backset when so ordered; width of case 7/8 in. more than backset.

Front 63/4 x 11/6 in. Bronze hub 15 in.

Strike, lip to center 11/8 in.

Easy spring latch bolt. French spring hub.

Cast bronze bolts. 3 tumblers. 640 changes. No. 7065 1/8

Same as No. 7065 but with No. 080 7/8 class master key. **OPERATES** 

The latch bolt is operated by knob or lever from either side. The key operates the dead bolt from either side.

No. 7265 \*Not Reversible

Japanned iron case 43/4 x 23/8 x 5/8 in.

Backset 11/2 in. long side

Spacing 25/8 in.

Furnished 13/4, 2, or 21/4 in. backset when so ordered; width of case 7/8 in. more than backset Front 7 x 11/4 in., 1/2 in. rabbet, beveled 1/8 in 2 in.

Strike, lip to center 11/4 in.

Bronze Hub 16 in.


Easy spring latch bolt Cast bronze bolts

French spring hub 640 changes


3 tumblers No. 7265 1/8

Same as No. 7265 but with No. 0807/8 class master key

The latch bolt is operated by knob or lever from either side. The key operates the dead bolt from either side.



Nos. 7265, 7265 1/8



No. 7074

No. 7074

Reversible

Japanned iron case 43/4 x 25/8 x 5/8 in.

Backset 11/2 in.

Furnished 13/4 or 2 in. backset when so ordered; width of case

7/8 in. more than backset

Front 65% x 1 in.

Bronze hubs  $\frac{3}{16}$  and  $\frac{5}{16}$  in.

Easy spring latch bolt

Strike, lip to center 11/8 in.

Spacing 25% in.

French Spring Hub

Thumb Knob No. 7145

**OPERATES** 

The latch bolt is operated by knob or lever from either side. The thumb knob inside, operates the dead bolt.

No. 70741/2

\*Not reversible

Japanned iron case 43/4 x 23/8 x 5/8 in.

Backset 11/2 in. long side

Spacing 25/8 in.

Furnished 2 in. backset when so ordered; width of case

7/8 in. more than backset

Front 61/8 x 1 16 in. 1/2 in. rabbet, beveled 1/8 in 2 in. Bronze Hubs

3 and 5 in.


Strike, lip to center 11/4 in.

Thumb Knob No. 7145

Easy spring latch bolt French Spring Hub

**OPERATES** 

The latch bolt is operated by knob or lever from either side. The thumb knob inside, operates the dead bolt.



No. 70741/2

All locks furnished with screws.

\*State hand. Right hand shown.

Prefix letters for finish, EH colonium metal; DH bronze metal, black finish; DD dead black; HD half polished

#### Mortise Front Door Locks

With Ball Bearing Cylinder

#### FOR USE WITH LEVER HANDLES

No. 7341

\*Not reversible

Japanned iron case 53/4 x 21/2 x 3/4 in.

Backset 11/2 in.

Furnished 1 or 2 in. backsets, when so ordered; width of case 1 in. more than backset

Spacing 37/8 in.

Front 71/8 x 11/16 in., beveled 1/8 in 2 in.

Strike, lip to center 11/2 in.


French spring hub, 3/8 x 15 in. swivel Easy spring latch bolt One cylinder No. 253 3 keys Class 27 Unlimited changes

Thumb knob No. 7145

**OPERATES** 

Latch bolt by lever handle from either side and by key from outside at all times. Dead bolt by key from the outside and thumb knob inside. Outside lever is locked by





No. 7341

No. 7241

\*Not reversible

Japanned iron case 53/4 x 21/2 x 3/4 in.

Backset 11/2 in. long side

Furnished 2 in. backset, when so ordered; width of case 1 in. more than backset

Spacing 37/8 in.

Front 77/8 x 11/4 in., 1/2 in. rabbet

Strike, lip to center 11/2 in.


Easy spring latch bolt One cylinder No. 253

French spring hub, 3/8 x 15 in. swivel 3 keys Class 27 Unlimited changes

Thumb knob No. 7145

**OPERATES** 

Latch bolt by lever handle from either side and by key from outside at all times. Dead bolt by key from the outside and thumb knob inside. Outside lever is locked by stop in face.



No. 7241

#### FOR HANDLE OUTSIDE, KNOB INSIDE

No. 73491/2 Reversible

Japanned iron case 51/4 x 31/8 x 3/4 in. Backset 23/4 in.

Front 75/8 x 11/4 in. Furnished 2 or 3 in. backset when so ordered; width of case 11/8 in.

more than backset

Spacing, knob to cylinder 21/2 in.


Hub 16 in.

Strike, lip to center 11/2 in.

Cast bronze bolts One cylinder No. 253


3 keys Class 27

Thumb knob No. 7145 Unlimited changes




#### **OPERATES**

The latch bolt is operated by the thumbpiece outside and by knob inside. Both latch and dead bolts are operated by key from the outside at all times. From the inside, the dead bolt is operated by the thumb knob. The thumbpiece of the handle can be made inoperative by the stop in face of lock.



All locks furnished with screws.



#### Mortise Front Door Locks

With Ball Bearing Cylinder

#### FOR KNOBS BOTH SIDES

No. 7343 Reversible

Japanned iron case 55/8 x 35/8 x 3/4 in.

Backset 21/2 in.

Front 71/8 x 11/8 in. Furnished 23/4 in. backset when so ordered; width of case 11/8 in. more than backset.

Spacing, knob to thumb knob 23/8 in.; knob to cylinder 37/8 in. Strike, lip to center 11/4 in. Hubs 3/8 x 1/6 in. swivel and 3/6 in. Easy spring latch bolt.

Cast bronze bolts

Thumb knob No. 7145


One cylinder No. 253

3 keys, Class 27

Unlimited changes



The latch bolt is operated by knob from either side. The outside knob may be made inoperative by the stop in face of lock. The key operates both latch and dead bolts from the outside at all times. From the inside, the dead bolt is operated by thumb knob.



#### FOR HANDLE BOTH SIDES



No. 7343

No. 73571/2 Reversible

Japanned iron case 51/4 x 35/8 x 11/16 in.

Backset 21/2 in.

Front 75% x 116 in.

Strike, lip to center 11/2 in. Easy spring latch bolt.

Cast bronze bolts


Thumb knob No. 7145

One cylinder No. 253. 3 keys, Class 27. Unlimited changes.

#### **OPERATES**

The latch bolt is operated by thumbpiece from either side. The outside thumbpiece may be made inoperative by stop in face of lock. The key retracts both latch and dead bolts from the outside at all times. From the inside the dead bolt is operated by thumb knob.

The latch bolt may be held back by retracting it with the key and impressing the upper stop while in this position.



All locks furnished with screws.

95

